



A Foundation for Representing and Querying Moving Objects

RALF HARTMUT GÜTING

FernUniversität Hagen

MICHAEL H. BÖHLEN

Aalborg University

MARTIN ERWIG

FernUniversität Hagen

CHRISTIAN S. JENSEN

Aalborg University

NIKOS A. LORENTZOS

Agricultural University of Athens

MARKUS SCHNEIDER

FernUniversität Hagen

and

MICHALIS VAZIRGIANNIS

Athens University of Economics and Business

Spatio-temporal databases deal with geometries changing over time. The goal of our work is to provide a DBMS data model and query language capable of handling such time-dependent geometries, including those changing continuously that describe *moving objects*. Two fundamental abstractions are *moving point* and *moving region*, describing objects for which only the

This work was partially supported by the CHOROCHRONOS project, funded by the EU under the Training and Mobility of Researchers Programme, Contract ERB FMRX-CT96-0056.

Authors' addresses: R. H. Güting, Praktische Informatik IV, FernUniversität Hagen, Hagen, D-58084, Germany; email: gueting@fernuni-hagen.de; M. H. Böhlen, Department of Computer Science, Aalborg University, Aalborg, DK-9220, Denmark; email: boehlen@cs.auc.dk; M. Erwig, Praktische Informatik IV, FernUniversität Hagen, Hagen, D-58084, Germany; email: erwig@fernuni-hagen.de; C. S. Jensen, Department of Computer Science, Aalborg University, Aalborg, DK-9220, Denmark; email: csj@cs.auc.dk; N. A. Lorentzos, Informatics Laboratory, Agricultural University of Athens, Iera Odos 75, Athens, 11855, Greece; email: lorentzos@auadec.aua.ariadne-t.gr; M. Schneider, Praktische Informatik IV, FernUniversität Hagen, Hagen, D-58084, Germany; email: markus.schneider@fernuni-hagen.de; M. Vazirgianis, Department of Informatics, Athens University of Economics and Business, Patission 76, Athens, 10434, Greece.

Permission to make digital/hard copy of part or all of this work for personal or classroom use is granted without fee provided that the copies are not made or distributed for profit or commercial advantage, the copyright notice, the title of the publication, and its date appear, and notice is given that copying is by permission of the ACM, Inc. To copy otherwise, to republish, to post on servers, or to redistribute to lists, requires prior specific permission and/or a fee.

© 2000 ACM 0362-5915/00/0300-0001 \$5.00

time-dependent position, or position and extent, respectively, are of interest. We propose to represent such time-dependent geometries as attribute data types with suitable operations, that is, to provide an abstract data type extension to a DBMS data model and query language. This paper presents a design of such a system of abstract data types. It turns out that besides the main types of interest, moving point and moving region, a relatively large number of auxiliary data types are needed. For example, one needs a line type to represent the projection of a moving point into the plane, or a “moving real” to represent the time-dependent distance of two moving points. It then becomes crucial to achieve (i) orthogonality in the design of the type system, i.e., type constructors can be applied uniformly; (ii) genericity and consistency of operations, i.e., operations range over as many types as possible and behave consistently; and (iii) closure and consistency between structure and operations of nontemporal and related temporal types. Satisfying these goals leads to a simple and expressive system of abstract data types that may be integrated into a query language to yield a powerful language for querying spatio-temporal data, including moving objects. The paper formally defines the types and operations, offers detailed insight into the considerations that went into the design, and exemplifies the use of the abstract data types using SQL. The paper offers a precise and conceptually clean foundation for implementing a spatio-temporal DBMS extension.

Categories and Subject Descriptors: H.2.3 [Database Management]: Languages—*Query languages*; H.2.8 [Database Management]: Database applications—*Spatial databases and GIS*

General Terms: Languages, Theory

Additional Key Words and Phrases: Abstract data types, algebra, moving objects, moving point, moving region, spatio-temporal databases, spatio-temporal data types

1. INTRODUCTION

A common characteristic of concrete, physical objects is that they have a position and an extent in space at any point in time. This applies to countries, land parcels, rivers, taxis, forest-harvesting equipment, fishing boats, air planes, glaciers, lakes, forests, birds, polar bears, and persons, to name but a few types of objects.

A wide and increasing range of database applications manage such space and time-referenced objects, termed spatio-temporal objects. In these database applications, the current as well as the past and anticipated future positions and extents of the objects are frequently of interest. This brings about the need for capturing these aspects of the objects in the database.

As an example, forest management involves the management of spatio-temporal objects. Forest-harvesting machines have Global Positioning System (GPS) devices attached. A harvesting machine cuts down a pine tree while holding on to the tree; it then strips off the branches while simultaneously cutting the tree into logs of specified lengths and placing the logs in different piles so that similar logs go into the same pile. During this process, the machine measures the amount and properties of the harvested wood (e.g., volumes, diameters, and lengths) and transmits this information, together with the positions of the piles, to headquarters. Together with the orders for wood, this information, along with the present locations of the harvesting machines, is then used for scheduling the pickup of already harvested wood as well as further harvesting.

Two types of spatio-temporal objects may be distinguished, namely discretely moving objects and continuously moving objects. For the former type of object, e.g., land parcels, it is relatively easy to keep track in the database of the objects' changing positions and extents. This may be accomplished by more or less frequent database updates, and solutions exist for capturing and querying discretely changing spatial positions and extents. For example, this may be accomplished by using separate spatial and temporal columns in relational tables. A time interval in the temporal column describes when the spatial value is valid. However, if we consider the temporal development of a spatial value as a function of time, then this strategy can only represent stepwise constant functions.

Objects that change position or extent continuously, termed moving objects, for short, are pervasive; but in contrast to the discretely changing objects, they are much more difficult to accommodate in the database. Supporting these kinds of moving objects is exactly the challenge addressed by this paper. It is not feasible to capture these with separate spatial and temporal values, since we do not have stepwise constant functions any longer, and the database cannot be updated for each change to the objects' spatial aspect. Another tack must be adopted.

The paper defines a complete framework of abstract data types for moving objects. The proposed framework is intended to serve as a precise and conceptually clean foundation for the representation and querying of spatio-temporal data. While proposals exist for spatial and temporal types, no framework has previously been proposed for spatio-temporal types that includes support for moving objects. (Section 6 positions this paper's contribution with respect to related research.)

The framework takes at its outset a set of basic types including standard data types such as integer and Boolean; spatial data types, including point and region; and the temporal type instant. The next step is to introduce type constructors that may be applied to the basic types, thus creating new types. For example, the type constructor "moving" that maps an argument type to the type that is a mapping from time to the argument type is included. This leads to types such as moving point, which is a function from instant to point. For example, a harvesting machine's position may be modeled as a moving point.

The framework emphasizes three properties, namely: closure, simplicity, and expressiveness. For example, closure dictates that types exist for the domains and ranges of types that are functions between types.

It is important to note that in a design of abstract data types like the one of this paper, the definitions of the structure of entities (e.g., values of spatial data types) and of the semantics of operations can be given at different levels of abstraction. For example, the trajectory of a moving point can be described either as a curve or as a polygonal line in two-dimensional space. In the first case, a curve is defined as an (certain kind of) infinite set of points in the plane without fixing any finite representation. In the second case, the definition uses a finite representation of a polygonal line, which in turn defines the infinite point set making up the trajectory of the

moving point. In Erwig et al. [1999], the difference between these two levels of modeling is discussed at some depth, and the terms *abstract* and *discrete* modeling are introduced for them. Basically, the advantage of the abstract level is that it is conceptually clean and simple, because one does not have to express semantics in terms of the finite representations. One is also free to later select different kinds of finite representations, e.g., polygonal lines, or descriptions based on splines. On the other hand, the additional step of fixing a finite representation is still needed. The advantage of discrete modeling is that it is closer to implementation.

The design of this paper is an abstract model in this sense. However, care has been taken to define all data types and operations in such a way that an instantiation with finite representations (e.g., set of polygons for a region) is possible without problems.

The proposed abstract data types may be used as column types in conventional relational DBMSs, or they may be integrated in object-oriented or object-relational DBMSs. It is also possible for a user or a third-party developer to implement abstract data types based on this paper's definitions in an extensible DBMS, e.g., a so-called universal server.

The paper is structured as follows. Abstract data types consist of data types and operations that encapsulate the data types, i.e., they form an *algebra*. Section 2 discusses the embedding of such an algebra into a query language. Section 3 proceeds to present the data types in the framework; Section 4 defines the appropriate sets of operations to go with the data types; Section 5 explores the expressiveness of the resulting language within two application areas; Section 6 covers related research; and Section 7 concludes the paper and points to and identifies promising directions for future research.

2. PRELIMINARIES: LANGUAGE EMBEDDING

In order to illustrate the use of the framework of abstract data types in queries, they must be embedded in a query language. A range of languages would suffice for this purpose, including theoretical and practical languages as well as relational, object-relational, and object-oriented languages. We do not care which language our design, which can be viewed as an application-specific sublanguage, is embedded. In the examples we show an embedding into a relational model and an SQL-like language, with which most readers should be familiar.

To achieve a smooth interplay between the embedding language and an embedded system of abstract data types, a few interface facilities and notation are needed, expressible in one form or another in most object-oriented or object-relational query languages. In order not to be bound to any particular SQL standard, we briefly explain our notation for these facilities.

Assignments. The construct `LET <name> = <query>` assigns the result of query to a new object called `name` which can then be used in further steps of a query.

Multistep queries. A query can be written as a list of assignments, separated by semicolons, followed by one or more query expressions. The latter are displayed as the result of the query.

Conversions between sets of objects and atomic values. In relational terms, this means that a relation with a single tuple and a single attribute can be converted into a typed atomic value and vice-versa. We use the notation `ELEMENT(<query>)` and `SET(<attrname>, <value>)` for this. For example, the expression `SET(name, "John Smith")` returns a relation with an attribute name and a single tuple having John Smith as the value of that attribute.

Defining derived attributes. We assume that arbitrary ADT operations over new or old data types may occur anywhere in a `WHERE` clause, as long as in the end a predicate is constructed, and they can be used in a `SELECT` clause to produce new attributes, with the notation

`<new attrname> AS <expression>`

Defining operations. We allow for the definition of new operations derived from existing ones, in the form `LET <name> = <functional expression>`. A functional expression has the form `FUN (<parameter list>) <expression>`; it corresponds to lambda abstraction in functional languages.

Example 1. This example shows how a new operation “square” can be defined and used.

`LET square = FUN (m:integer) m * m; square(5)`

Defining aggregate functions. Any binary, associative, and commutative operation defined on a data type can be used as an aggregate function over a column of that data type, using the notation `AGGR(<attrname>, <operator>, <neutral element>)`. In case the relation is empty, the neutral element is returned. In case it has a single tuple, then that single attribute value is returned; otherwise the existing values are combined by the given operator. Moreover, a name for the aggregate function can be defined by `LET <name>=AGGREGATE(<operator>, <neutral element>)`.

Example 2. Given a relation `emp(name:string, salary:int, permanent:bool)`, we can sum all salaries by

`SELECT AGGR(salary, +, 0) FROM emp`

We can determine whether all employees have permanent positions by

`LET all = AGGREGATE(and, TRUE);
SELECT all(permanent) FROM emp`

Table I. Signature for Stack Operations

Operator	Signature	
<i>empty</i>		$\rightarrow STACK$
<i>push</i>	$STACK \times INT$	$\rightarrow STACK$
<i>pop</i>	$STACK$	$\rightarrow INT$

3. SPATIO-TEMPORAL DATA TYPES

In this and the next section we define a system of data types and operations, or an algebra, suitable for representing and querying geometries changing over time, and in particular, moving objects. Defining an algebra consists of two steps. In the first step we design a type system by introducing some basic types as well as some type constructors. For each type in the type system, its semantics is given by defining a *carrier set*. In the second step we design a collection of operations over the types of the type system. For each operation, its signature is defined, describing the syntax of the operation, i.e., the correct argument and result types, and its semantics is given by defining a function on the carrier sets of the argument types. In this section we define the type system; operations are given in Section 4.

3.1 The Type System

We define the type system as a signature. Any (many-sorted) signature consists of sorts and operators, where the sorts control the applicability of operators (see, e.g., Loeckx et al. [1996]). A signature generates a set of terms. Signatures are well known from the definition of abstract data types. For example, in the description of a stack we have sorts *STACK*, *INT*, and *BOOL*, and operators *push*, *pop*, and *empty*, as shown in Table I. A term of this signature is *push(empty, 8)*.

When we use a signature for defining a type system, the sorts are called *kinds* and describe certain subsets of types, and in the role of operators we have *type constructors*. The terms generated by the signature describe exactly the types available in our type system. For more background on this technique for defining type systems and algebras, see Güting [1993].

Table II shows the signature defining our type system. Here, kinds are written in capitals and type constructors in italics.

Terms, and therefore types, generated by this signature are, e.g., *int*, *region*, *moving(point)*, *range(int)*, etc. The *range* type constructor is applicable to all the types in the kind *BASE* and all types in kind *TIME*, hence all types that can be constructed by it are *range(int)*, *range(real)*, *range(string)*, *range(bool)*, and *range(instant)*. Type constructors with no arguments, for example *region*, are types already and are called *constant types*.

One can see that quite a few types are around. Although the focus of interest are the spatio-temporal types, especially *moving(point)* and *moving(region)*, to obtain a closed system of operations it is necessary to include the related spatial, time, and base types into the design.

Table II. Signature Describing the Type System

Type constructor	Signature
$int, real, string, bool$	$\rightarrow BASE$
$point, points, line, region$	$\rightarrow SPATIAL$
$instant$	$\rightarrow TIME$
$moving, intime$	$BASE \cup SPATIAL \rightarrow TEMPORAL$
$range$	$BASE \cup TIME \rightarrow RANGE$

So far we have just introduced some names for types. In the sequel we describe their semantics first informally, and then formally by defining carrier sets. We start with the constant types and then discuss (proper) type constructors.

3.1.1 Base Types. The base types are *int*, *real*, *string*, and *bool*. All base types have the usual interpretation, except that each domain is extended by the value \perp (undefined).

Definition 1. For a type α its carrier set is denoted by A_α . The carrier sets for the types *int*, *real*, *string*, and *bool*, are defined as

$$A_{int} \triangleq \mathbb{Z} \cup \{\perp\},$$

$$A_{real} \triangleq \mathbb{R} \cup \{\perp\},$$

$$A_{string} \triangleq V^* \cup \{\perp\}, \text{ where } V \text{ is a finite alphabet,}$$

$$A_{bool} \triangleq \{FALSE, TRUE\} \cup \{\perp\}.$$

We sometimes need to talk about the carrier set without the undefined value. As a shorthand for this, we define $\bar{A}_\alpha \triangleq A_\alpha \setminus \{\perp\}$.

3.1.2 Spatial Types. Basic conceptual entities that have been identified in spatial database research are point, line, and region [Güting 1994]. In our design we use four types called *point*, *points*, *line*, and *region*. They are illustrated in Figure 1.

Informally, these types have the following meaning. A value of type *point* represents a point in the Euclidean plane or is undefined. A *points* value is a finite set of points. A *line* value is a finite set of continuous curves in the plane. A *region* is a finite set of disjoint parts called *faces*, each of which may have holes. It is allowed that a face lies within a hole of another face. Each of the three set types may be empty.

Formal definitions are based on the point set paradigm and on point set topology. The point set paradigm expresses that space is composed of infinitely many points and that spatial objects are distinguished subsets of space which are viewed as entities. Point set topology provides concepts of continuity and closeness and allows one to identify special topological structures of a point set like its interior, closure, boundary, and exterior.




Fig. 1. The spatial data types.

We assume the reader is familiar with basic concepts of topology¹ [Gaal 1964]. Point and point set types are still quite simple:

Definition 2. The carrier sets for the types *point* and *points* are:

$$A_{\text{points}} \triangleq \mathbb{R}^2 \cup \{\perp\},$$

$$A_{\text{points}} \triangleq \{P \subseteq \mathbb{R}^2 \mid P \text{ is finite}\}$$

For the definition of lines, we need the concept of a curve.

Definition 3. A curve is a continuous mapping $f : [0, 1] \rightarrow \mathbb{R}^2$ such that $\forall a, b \in [0, 1] : f(a) = f(b) \Rightarrow a = b \vee \{a, b\} = \{0, 1\}$.

Let $\text{rng}(f) = \{p \in \mathbb{R}^2 \mid \exists a \in [0, 1] : f(a) = p\}$. Two curves f, g are called *equivalent* iff $\text{rng}(f) = \text{rng}(g)$. The points $f(0)$ and $f(1)$ are called the *end points* of f . If $f(0) = f(1) = p$, then we say f is a *loop in p*.

This definition allows loops ($f(0) = f(1)$), but forbids equality of different interior points and equality of an interior with an end point.

The curves that we want to deal with must be simple in the sense that the intersection of two curves yields only a finite number of proper intersection points (disregarding common parts that are curves themselves). This is ensured by the following definitions.

Definition 4. Let $Q \subseteq \mathbb{R}^2$ and $p \in Q$. p is called *isolated* Q : $\Leftrightarrow \exists \epsilon \in \mathbb{R}, \epsilon > 0 : U(p, \epsilon) \cap (Q \setminus \{p\}) = \emptyset$.

Here $U(p, \epsilon)$ denotes an open disk around p with radius ϵ . The set of all isolated points in Q is denoted as *isolated*(Q).

Definition 5. Let C be the set of all curves w.r.t. Def. 3. A class of curves $C' \subset C$ is called *simple* : $\Leftrightarrow \forall c_1, c_2 \in C' : \text{isolated}(\text{rng}(c_1) \cap \text{rng}(c_2))$ is finite.

¹In the simple Euclidean spaces considered in this paper, these notions can be characterized as follows. Let X be the space (i.e., \mathbb{R} or \mathbb{R}^2) and $S \subseteq X$. For $\epsilon > 0$, let $U(x, \epsilon) = \{p \in X \mid d(p, x) < \epsilon\}$ be an ϵ -disk around x , where d is the distance metric. A point $x \in X$ belongs to the *interior* of S , denoted S° , if there exists an ϵ -disk around x contained in S . It belongs to the *boundary* of S , denoted ∂S , if every ϵ -disk around x intersects both S and the complement of S . It belongs to the *exterior* of S , denoted S^e , if it is in the interior of the complement of S . The *closure* of S is $S \cup \partial S$. A set is closed if it contains its boundary. Hence any set S partitions the space X into three disjoint parts S° , ∂S , and S^e .

The *line* data type is to represent any finite union of curves from some class of simple curves. When the abstract design of data types given in this paper is implemented by some discrete design (as explained in the introduction), some class of curves will be selected for representation, for example, polygonal lines, curves described by cubic functions, etc. We just require that the class of curves selected has this simplicity property. This is needed, for example, to ensure that the **intersection** operation between two *line* values yields a finite set of points representable by the *points* data type.

A finite union of curves basically yields a graph structure embedded into the plane (whose nodes are intersections of curves and whose edges are intersection-free pieces of curves). Given a set of points of such a graph, there are many different sets of curves resulting in this point set. For example, a path over the graph could be interpreted as a single curve or as being composed of several curves. The following definitions ensure that (i) a *line* value is a point set in the plane that can be described as a finite union of curves, and (ii) there is a unique collection of curves that can serve as a “canonical” representation of this point set.

Definition 6. Let f, g be curves. They are *quasi-disjoint* iff $\forall a, b \in (0, 1) : f(a) \neq f(b)$. They *meet* in a point p iff $\exists a, b \in \{0, 1\} : f(a) = p = g(b)$.

Definition 7. Let S be a class of curves. A *C-complex* over S is a finite set of curves $C \subseteq S$ such that

- (1) $\forall f, g \in C, f \neq g : f$ and g are quasi-disjoint.
- (2) $\forall f, g \in C, f \neq g : f$ and g meet in $p \Rightarrow (\exists h \in C, f \neq h \neq g$ such that f and h meet in $p) \vee (f$ or g is a loop in $p)$.

The set of points of this C-complex is denoted $points(C)$, is $\cup_{c \in C} rng(c)$. The set of all C-complexes over S is denoted by $CC(S)$. The second condition ensures that whenever two curves meet in a point p , then at least three (ends) of these curves must meet at this point, and so it is not possible to merge the two curves into one.

Definition 8. Let S be a simple class of curves. The carrier set of the *line* data type is

$$A_{line} \triangleq \{Q \subseteq \mathbb{R}^2 \mid \exists C \in CC(S) : points(C) = Q\}$$

Since for a given line value Q there is a unique² C-complex C with $points(C) = Q$, we can denote it by $sc(Q)$ (the *simple curves* of Q).

²To be precise, the C-complex is uniquely determined up to the equivalence of the curves in it. Essentially this means that the graph structure (as a set of curves corresponding to edges) is uniquely determined; but for the definition of a single edge, one C-complex may have a curve f and another one a curve g , where f and g are equivalent, i.e., $rng(f) = rng(g)$. The graph structure is uniquely determined because edges (curves) intersect only in their end points and are maximal.

For some operations we need a notion of components of a *line* value. Let $meet^*$ denote the transitive closure of the *meet* relationship on curves. This is an equivalence relation that partitions a C-complex into connected components, denoted $components(C)$ (each of which is a C-complex as well). For a line value Q , the decomposition into corresponding point sets is defined as $blocks(Q) = \{points(C') \mid C' \in components(sc(Q))\}$.

A *region* value is defined as a point set in the plane with a certain structure. Similarly as for *line*, we first define the structure, called an *R-complex* now, and its associated point set, and then define a region as a point set that could belong to such an R-complex. Again, for a *region* point set, its R-complex is uniquely defined.

For the definition, we need the concept of a regular closed set. A set $Q \subseteq \mathbb{R}^2$ is called *regular closed* if the closure of its interior coincides with the set itself, i.e., $Q = closure(Q^\circ)$. The reason for this regularization process is that regions should not have geometric anomalies such as an isolated or dangling line or point features and missing lines and points in the form of cuts and punctures.

Definition 9. Two regular closed sets Q and R are called *quasi-disjoint*: $\Leftrightarrow Q \cap R$ is finite.

Definition 10. Let S be a class of curves. An *R-complex over S* is a finite set R of nonempty, regular closed sets, such that

- (1) Any two distinct elements of R are quasi-disjoint.
- (2) $\forall r \in R, \exists c \in CC(S) : \partial r = points(c)$.

Here ∂r denotes the boundary of r . Each element of the R-complex is called a *face*. The union of all points of all faces is denoted $points(R)$. The set of all R-complexes over S is denoted $RC(S)$.

Hence, a *region* can be viewed as a finite set of components called *faces*. Any two faces of a region are disjoint except for finitely many “touching points” at the boundary. Moreover, the definition ensures that boundaries of faces are simple in the same sense that lines are simple. For example, the intersection of two regions will also produce only finitely many isolated intersection points. Note that the boundary of a face has outer as well as possibly inner parts, i.e., the face may have holes.

Definition 11. Let S be a simple class of curves. The carrier set of the *region* data type is defined as

$$A_{region} \triangleq \{Q \subseteq \mathbb{R}^2 \mid \exists R \in RC(S) : Q = points(R)\}$$

We require that the same class S of curves is used in defining the *line* and the *region* type. Since for a given *region* value Q , its R-complex is uniquely defined, we can denote it by $faces(Q)$.

We extend the shorthand \bar{A} to the spatial data types, and in fact to all types whose carrier set contains sets of values. For these types α , we define $\bar{A}_\alpha \triangleq A_\alpha \setminus \{\emptyset\}$.

3.1.3 Time Type. Type *instant* represents a point in time or is undefined. Time is considered to be linear and continuous, i.e., isomorphic to the real numbers.

Definition 12. The carrier set for *instant* is

$$A_{\text{instant}} \triangleq \mathbb{R} \cup \{\perp\}$$

3.1.4 Temporal Types. From the base types and spatial types, we want to derive corresponding temporal types. The type constructor *moving* is used for this purpose. It yields for any given type α a mapping from time to α . More precisely, this means the following:

Definition 13. Let α be a data type to which the *moving* type constructor is applicable, with carrier set A_α . Then the carrier set for *moving*(α), is defined as follows:

$$A_{\text{moving}(\alpha)} \triangleq \{f \mid f: \bar{A}_{\text{instant}} \rightarrow \bar{A}_\alpha \text{ is a partial function} \wedge \Gamma(f) \text{ is finite}\}$$

Hence, each value f from the carrier set of *moving*(α) is a function describing the development over time of a value from the carrier set of α . The condition “ $\Gamma(f)$ is finite” says that f consists of only a finite number of continuous components. This is made precise in the Appendix, where a generalized notion of continuity is defined. This condition is needed (i) to ensure that projections of moving objects (e.g., into the 2D plane) have only a finite number of components; (ii) for the **decompose** operation defined below; and (iii) as a precondition to make the design implementable.

For all “moving” types we introduce extra names by prefixing the argument type with an “*m*”, that is, *mpoint*, *mpoints*, *mline*, *mregion*, *mint*, *mreal*, *mstring*, and *mbool*. This is just to shorten some signatures.

The temporal types obtained through the *moving* type constructor are functions, or infinite sets of pairs (instant, value). It is practical to have a type for representing any single element of such a function, i.e., a single (instant, value)-pair, for example, to represent the result of a time-slice operation. The *intime* type constructor converts a given type α into a type that associates instants of time with values of α .

Definition 14. Let α be a data type to which the *intime* type constructor is applicable with carrier set A_α . Then the carrier set for *intime*(α), is defined as follows:

$$A_{\text{intime}(\alpha)} \triangleq A_{\text{instant}} \times A_\alpha$$

3.1.5 Range Types (Sets of Intervals). For all temporal types we would like to have operations that correspond to projections into the domain and the range of the functions. For the moving counterparts of the base types, e.g., *moving(real)* (whose values come from a one-dimensional domain), the projections are, or can be, compactly represented as sets of intervals over the one-dimensional domain. Hence, we are interested in types to represent sets of intervals over the real numbers, over the integers, etc. Such types are obtained through a *range* type constructor.

Definition 15. Let α be a data type to which the *range* type constructor is applicable (and hence on which a total order $<$ exists). An α -interval is a set $X \subseteq \bar{A}_\alpha$ such that $\forall x, y \in X, \forall z \in \bar{A}_\alpha : x < z < y \Rightarrow z \in X$.

Two α -intervals are *adjacent*, if they are disjoint and their union is an α -interval. An α -range is a finite set of disjoint, nonadjacent intervals. For an α -range R , $points(R)$ denotes the union of all its intervals.

Intervals may include their left and/or right boundaries or not, and so be left-open, etc.

Definition 16. Let α be any data type to which the *range* type constructor is applicable. Then the carrier set for $range(\alpha)$ is

$$A_{range(\alpha)} \triangleq \{X \subseteq \bar{A}_\alpha \mid \exists \text{ an } \alpha\text{-range } R : X = points(R)\}$$

Again, a *range* value X has a unique associated α -range denoted by $intvs(X)$.

Because we are particularly interested in ranges over the time domain, we introduce a special name for this type: $periods = range(instant)$.

3.2 Rationale for this Design

The most important design principles that led to this particular choice of data types are the following:

- (1) *Closure and consistency between nontemporal and temporal types.* For all base types and all spatial types, corresponding temporal types are introduced through the *moving* constructor. The use of the type constructor, instead of ad-hoc definition of temporal types, ensures consistency.
- (2) *Closure under projection.* For all temporal types, data types must be available to represent the results of projections into the (time) domain and range, as well as the result of a time-slice operation.
- (3) *Uniform support of point vs. point set view.* All data types belong to either a one-dimensional or a two-dimensional space. This third principle requires that, in each space, we have data types to represent a single value (called a *point*) and a set of values (a *point set*). This is the basis for the definition of generic operations described in the next section, and is explained in more detail there.

A deeper discussion of design considerations can be found in Güting et al. [1998].

4. OPERATIONS

4.1 Overview

The design of the operations adheres to three principles: (i) design operations that are as generic as possible; (ii) achieve consistency between operations on nontemporal and temporal types; and (iii) capture the interesting phenomena.

The first principle is crucial, as our type system is quite large. To avoid a proliferation of operations, it is mandatory to find a unifying view of collections of types. The basic approach to achieve this is to relate each type to either a one-dimensional or a two-dimensional space and to consider all values either as single elements or subsets of the respective space. For example, type *int* describes single elements of the one-dimensional space of integers, while *range(int)* describes sets of integers. Similarly, *point* describes single elements of two-dimensional space, whereas *points*, *line*, and *region* describe subsets of the two-dimensional space.

Second, in order to achieve consistency of operations on nontemporal and temporal types, we proceed in two steps. In the first, we define operations on nontemporal types. In the second, we systematically extend operations defined in the first step to the temporal variants of the respective types. This is called *lifting*.

Third, in order to obtain a powerful query language, it is necessary to include operations that address the most important concepts from various domains (or branches of mathematics). Whereas simple set theory and first-order logic are certainly the most fundamental and best-understood parts of query languages, we also need to have operations based on order relationships, topology, metric spaces, etc. There is no clear recipe to achieve closure of interesting phenomena; nevertheless, this should not keep us from having concepts and operations such as distance, size of a region, relationships of boundaries, and the like.

Section 4 is structured as follows. Section 4.2 develops an algebra over nontemporal types, based on the generic point and point set (value vs. subset of space) view of these types. The classes of operations considered are shown in Table III, which also gives an overview of operations by just listing their names.

Section 4.3 defines operations on temporal types. The classes of operations are shown in Table IV.

Finally, an operation that is based on our data types is needed, but requires a manipulation of a set of objects in the database (e.g., a relation). It is called **decompose** and is treated in Section 4.4.

4.2 Operations on Nontemporal Types

In this section we first carefully study operations on nontemporal types. Although the focus of the paper is on the treatment of moving objects, and hence on temporal types, this first step is crucial because later all these operations will, by the process of lifting, become operations on temporal types as well. The following design is adapted to that purpose.

Table III. Classes of Operations on Nontemporal Types

Class	Operations
Predicates	isempty =, ≠, intersects, inside <, ≤, ≥, >, before
Set Operations	touches, attached, overlaps, on_border, in_interior intersection, union, minus crossings, touch_points, common_border
Aggregation	min, max, avg, center, single
Numeric	no_components, size, perimeter, duration, length, area
Distance and Direction	distance, direction
Base Type Specific	and, or, not

Table IV. Classes of Operations on Temporal Types

Class	Operations
Projection to Domain/Range	deftime, rangevalues, locations, trajectory routes, traversed, inst, val
Interaction with Domain/Range	atinstant, atperiods, initial, final, present at, atmin, atmax, passes
When	when
Lifting	(all new operations inferred)
Rate of Change	derivative, speed, turn, velocity

As motivated above, we take the view that we are dealing with single values and sets of these values in one-dimensional and two-dimensional spaces. The types can then be classified according to Table V. (Remember that by temporal types we mean types representing functions of time. Types *instant* and *periods* are not temporal types in this sense.)

Table V shows that we are dealing with five different one-dimensional spaces called Integer, Boolean, etc., and one two-dimensional space called 2D. For example, the two types belonging to space Integer are *int* and *range(int)*. One-dimensional spaces are further classified as being discrete or continuous. The distinction between one-dimensional and two-dimensional spaces is relevant because only the one-dimensional spaces have a (natural) total order. The distinction between discrete and continuous one-dimensional spaces is important for certain numeric operations. To have a uniform terminology in any of the respective spaces, we call a single element a point and a subset of the space a point set, and we classify types accordingly as point types or point set types.

Example 3. We introduce the following example relations for use within this section, representing cities, countries, rivers, and highways in Europe.

```
city(name:string, pop:int, center:point)
country(name:string, area:region)
river(name:string, route:line)
highway(name:string, route:line)
```

4.2.1 Notation for Signatures. Let us briefly introduce notation for signatures that are partly based on Table V. In defining operation signa-

Table V. Classification of Nontemporal Types

	1D Spaces					2D Space
	discrete			continuous		2D
	Integer	Boolean	String	Real	Time	
point	<i>int</i>	<i>bool</i>	<i>string</i>	<i>real</i>	<i>instant</i>	<i>point</i>
point set	<i>range(int)</i>	<i>range(bool)</i>	<i>range(string)</i>	<i>range(real)</i>	<i>periods</i>	<i>points, line, region</i>

tures and semantics, π and σ are type variables, ranging over all point and all point set types of Table V, respectively. If several type variables occur in a signature (e.g., for binary operations), then they are always assumed to range over types of the same space. Hence, in a signature $\pi \times \sigma \rightarrow \alpha$ we can, for example, select the one-dimensional space Integer and instantiate π to *int* and σ to *range(int)*. Or we can select the two-dimensional space 2D where we can instantiate π to *point* and σ to either *points*, *line*, or *region*.

A signature $\sigma_1 \times \sigma_2 \rightarrow \alpha$ means that the type variables σ_1 and σ_2 can be instantiated independently; nevertheless, they have to range over the same space. In contrast, a signature $\sigma \times \sigma \rightarrow \alpha$ says that both arguments have to be of the same type. The notation $\alpha \otimes \beta \rightarrow \gamma$ is used if any order of the two argument types is valid, hence it is an abbreviation for signatures $\alpha \times \beta \rightarrow \gamma$ and $\beta \times \alpha \rightarrow \gamma$.

Some operations are restricted to certain classes of spaces; these classes are denoted as $1D = \{\text{Integer, Boolean, String, Real, Time}\}$, $2D = \{2D\}$, $1D\text{cont} = \{\text{Real, Time}\}$, $1D\text{num} = \{\text{Integer, Real, Time}\}$, and $\text{cont} = \{\text{Real, Time, 2D}\}$. A signature is restricted to a class of spaces by putting the name of the class behind it in square brackets. For example, a signature $\alpha \rightarrow \beta$ [1D] is valid for all one-dimensional spaces.

A single operation may have several functionalities (signatures). Sometimes, for a generic operation, there exist more appropriate names for arguments of more specific types. For example, there is a **size** operation for any point set type; however, for type *periods*, it makes more sense to call this size **duration**. In such a case, we introduce the more specific name as an alias with the notation **size**[**duration**].

In defining semantics, u, v, \dots denote single values of a π type, and U, V, \dots generic sets of values (point sets) of a σ type. For binary operations, u or U refers to the first and v or V to the second argument. Furthermore, b (B) ranges over values (sets of values) of base types, and predicates are denoted by p . We use μ to range over moving objects and $t(T)$ to range over instant values (periods).

For the definition of the semantics of operations, we generally assume strict evaluation, i.e., for any function f_{op} defining the semantics of an operation op we assume $f_{op}(\dots, \perp, \dots) = \perp$. We will therefore not handle undefined arguments explicitly in definitions.

Table VI. Unary Predicates

Operation	Signature		Semantics
isempty[undefined]	π	$\rightarrow bool$	$u = \perp$
	σ	$\rightarrow bool$	$U = \emptyset$

The syntax for operations in queries is the prefix notation $op(arg_1, \dots, arg_n)$. Exceptions are the comparison operators $=$, $<$, etc., and the Boolean operators **and** and **or**, for which it is customary to have infix notation. For two operators, **when** and **decompose**, a special syntax is defined explicitly below.

4.2.2 Predicates. We consider unary and binary predicates. On this abstract level, there are not many unary predicates one can think of. For a single point, we can ask whether it is undefined, and for a point set, we can ask whether it is empty. The generic predicate **isempty** is used for this purpose (Table VI).

To achieve some completeness, the design of binary predicates is based on the following strategy. First, we consider possible relationships between two points (single values), two point sets, and a point vs. a point set in the respective space. Second, orthogonal to this, predicates are based on three different concepts, namely set theory, order relationships, and topology. Order means total order here, which is available only in one-dimensional spaces. Topology means considering for a point set U its boundary ∂U and interior U° .

This design space for binary predicates is shown in Table VII. The idea is to systematically evaluate the possible interactions between single values and sets and, based on that, to introduce (names for) operations. For example, we find that checking whether boundaries intersect is important, and then introduce **touches** as a name for this. Note that operations in the middle column are available in one-dimensional (ordered) spaces *in addition* to those in the other columns. As a result, we obtain the signature in Table VIII.

We have not offered any predicates related to distance or direction (e.g., “north”). However, such predicates can be obtained via numeric evaluations (see Section 4.2.6).

A discussion of the completeness of the predicates can be found in Güting et al. [1998].

4.2.3 Set Operations. Set operations are fundamental and are available for all point-set types. Where feasible, we also allow set operations on point types, thus allowing expressions such as u **minus** v and U **minus** u . Singleton sets or empty sets that result from this use are interpreted as point values. This is possible because all domains include the undefined value (\perp), whose meaning we identify with the empty set. Permitting set operations on point types is especially useful in the context of temporal types, as we shall see later. There is no union operation on two single

Table VII. Analysis of Binary Predicates

	Set Theory	Order (1D Spaces)	Topology
point vs. point	$u = v, u \neq v$	$u < v, u \leq v$ $u \geq v, u > v$	
point set vs. point set	$U = V, U \neq V$ $U \cap V \neq \emptyset$ (intersects) $U \subseteq V$ (inside)	U before V	$\partial U \cap \partial V \neq \emptyset$ (touches) $\partial U \cap V^\circ \neq \emptyset$ (attached) $U^\circ \cap V^\circ \neq \emptyset$ (overlaps)
point vs. point set	$u \in U$ (inside)	u before V U before v	$u \in \partial U$ (on_border) $u \in U^\circ$ (in_interior)

Table VIII. Binary Predicates

Operation	Signature		Semantics
$=, \neq$	$\pi \times \pi$	$\rightarrow \text{bool}$	$u = v, u \neq v$
	$\sigma_1 \times \sigma_2$	$\rightarrow \text{bool}$	$U = V, U \neq V$
intersects	$\sigma_1 \times \sigma_2$	$\rightarrow \text{bool}$	$U \cap V \neq \emptyset$
inside	$\sigma_1 \times \sigma_2$	$\rightarrow \text{bool}$	$U \subseteq V$
	$\pi \times \sigma$	$\rightarrow \text{bool}$	$u \in V$
$<, \leq, \geq, >$	$\pi \times \pi$	$\rightarrow \text{bool}$ [1D]	$u < v$ etc.
before	$\sigma_1 \times \sigma_2$	$\rightarrow \text{bool}$ [1D]	$\forall u \in U, \forall v \in V : u \leq v$
	$\pi \times \sigma$	$\rightarrow \text{bool}$ [1D]	$\forall v \in V : u \leq v$
	$\sigma \times \pi$	$\rightarrow \text{bool}$ [1D]	$\forall u \in U : u \leq v$
touches	$\sigma_1 \times \sigma_2$	$\rightarrow \text{bool}$	$\partial U \cap \partial V \neq \emptyset$
attached	$\sigma_1 \times \sigma_2$	$\rightarrow \text{bool}$	$\partial U \cap V^\circ \neq \emptyset$
overlaps	$\sigma_1 \times \sigma_2$	$\rightarrow \text{bool}$	$U^\circ \cap V^\circ \neq \emptyset$
on_border	$\pi \times \sigma$	$\rightarrow \text{bool}$	$u \in \partial U$
in_interior	$\pi \times \sigma$	$\rightarrow \text{bool}$	$u \in U^\circ$

points because the result could be two points, which cannot be represented as a value of point type.

Defining set operations on a combination of one- and two-dimensional point sets is more involved. This is because we are using arbitrary closed or open sets in the one-dimensional space, whereas only closed point sets (*points*, *line*, and *region*) exist in the two-dimensional case. The restriction to closed point sets in the two-dimensional case is a natural and common one. Regions lacking part of their boundary or interior points or curves appear unnatural. On the other hand, in the one-dimensional space it is necessary to admit open intervals, since these are the domains of temporal (function) types. When a value changes at time t from a to b , we have to decide what exactly the value is at time t . If at time t it is already b , then we have a right-open time interval (with value a) up to time t , and a left-closed interval with value b starting at t . This justifies a different treatment of one- and two-dimensional point sets.

Because our two-dimensional types are closed, it is necessary to apply a closure operation after applying the set operations on such entities, which adds all points on the boundary of an open set.

Whereas in all the one-dimensional spaces there is only a single point set type, in two-dimensional space there are three. This requires an analysis of which argument type combinations make sense (return interesting results), and what the result types are.

Generally, if we apply set operations to values of different types, we get results that are a mixture of zero-, one-, and two-dimensional point sets, i.e., points, lines, and proper regions. Usually, one is mainly interested in the results of the highest dimension. This is reflected in the concept of *regularized* set operations [Tilove 1980]. For example, the regularized intersection removes all lower-dimensional pieces from the result of the corresponding intersection result. We also adopt regularization in our framework as the semantics of the three standard set operations, **union**, **minus**, and **intersection**, in two dimensions.

On different argument type combinations, the three set operations behave as follows:

- Union of arguments of equal types has the usual semantics. Due to regularization, for unions on different types, the result is the higher-dimensional argument. This result is not interesting, since we know it already. Hence, we define union for equal types only.
- Difference always results in the type of the first argument. Closure has to be applied to the result. Only those combinations of argument types return new results where the dimension of the second argument is equal or higher to that of the first. If the dimension of the second argument is smaller, then by closure, the first argument value is returned unchanged. We allow difference on all type combinations, even though some of them are not relevant.
- Intersection produces results of all dimensions smaller or equal to the dimension of the lowest-dimensional argument. For example, the intersection of a *line* value with a *region* value may result in points and lines. We define the **intersection** operator for all type combinations with regularized semantics, i.e., it returns the highest-dimensional part of the result. To make other kinds of results available, we introduce specialized operators, called, e.g., **common_border** or **touch_points**.

As a result, we obtain the signatures shown in Table IX (some notation used in the column “Semantics” is explained below). They are divided into five groups, the first two concerning point/point and point vs. point-set interaction. The last three groups deal with point-set/point-set interaction in one- and two-dimensional spaces; the last group introduces specialized intersection operations to obtain lower-dimensional results. The notation $\min(\sigma_1, \sigma_2)$ refers to taking the minimum in an assumed “dimensional” order $\text{points} < \text{line} < \text{region}$.

The definition of semantics in Table IX uses predicates *is2D* and *is1D* to check whether the argument is of a two-dimensional or one-dimensional

Table IX. Set Operations

Operation	Signature		Semantics
intersection	$\pi \times \pi$	$\rightarrow \pi$	if $u = v$ then u else \perp
minus	$\pi \times \pi$	$\rightarrow \pi$	if $u = v$ then \perp else u
intersection	$\pi \otimes \sigma$	$\rightarrow \pi$	if $u \in V$ then u else \perp
minus	$\pi \times \sigma$	$\rightarrow \pi$	if $u \in V$ then \perp else u
	$\sigma \times \pi$	$\rightarrow \sigma$	if $is2D(U)$ then $\rho(U \setminus \{v\})$ else $U \setminus \{v\}$
union	$\pi \otimes \sigma$	$\rightarrow \sigma$	if $is1D(V)$ or $type(V) = points$ then $V \cup \{u\}$ else V
intersection, minus, union	$\sigma \times \sigma$	$\rightarrow \sigma$	[1D] $U \cap V, U \setminus V, U \cup V$
intersection	$\sigma_1 \times \sigma_2$	$\rightarrow min(\sigma_1, \sigma_2)$	[2D] see Def. 17
minus	$\sigma_1 \times \sigma_2$	$\rightarrow \sigma_1$	[2D] $\rho(Q_1 \setminus Q_2)$
union	$\sigma \times \sigma$	$\rightarrow \sigma$	[2D] $Q_1 \cup Q_2$
crossings	$line \times line$	$\rightarrow points$	see Def. 17
touch_points	$region \otimes line$	$\rightarrow points$	
	$region \times region$	$\rightarrow points$	
common_border	$region \times region$	$\rightarrow line$	

type, respectively. Also, the notations $\rho(Q)$, Q° , and ∂Q are used for closure, interior, and boundary of Q , respectively. For example, in the second group of operations, the second definition for **minus** says that in two dimensions, after subtracting a point v from a point set U , the closure is applied, whereas in one dimension the result is taken directly. Definitions for intersection that did not fit into the table are as follows.

Definition 17. The semantics of intersection operations is defined as follows. Let P , L , and R , possibly indexed, denote arguments of type *points*, *line*, and *region*, respectively. Let Q be an argument of any of the three types. For commutative operations we give the definition for one order of the arguments only, as it is identical for the other order. Definitions are ordered by argument combinations.

$$\begin{aligned}
f_{\text{intersection}}(P, Q) &\triangleq P \cap Q \\
f_{\text{crossings}}(L_1, L_2) &\triangleq \{p \in L_1 \cap L_2 \mid p \text{ is isolated in } L_1 \cap L_2\} \\
f_{\text{intersection}}(L_1, L_2) &\triangleq (L_1 \cap L_2) \setminus f_{\text{crossings}}(L_1, L_2) \\
f_{\text{touch_points}}(L, R) &\triangleq \{p \in L \cap R \mid p \text{ is isolated in } L \cap R\} \\
f_{\text{intersection}}(L, R) &\triangleq (L \cap R) \setminus f_{\text{touch_points}}(L, R) \\
f_{\text{intersection}}(R_1, R_2) &\triangleq \rho((R_1 \cap R_2)^\circ) \\
f_{\text{common_border}}(R_1, R_2) &\triangleq f_{\text{intersection}}(\partial R_1, \partial R_2) \\
f_{\text{touch_points}}(R_1, R_2) &\triangleq f_{\text{crossings}}(\partial R_1, \partial R_2)
\end{aligned}$$

Table X. Aggregate Operations

Operation	Signature	Semantics
min , max	$\sigma \rightarrow \pi$ [1D]	$\min(\rho(U)), \max(\rho(U))$
avg	$\sigma \rightarrow \pi$ [1Dnum]	$\frac{1}{ \text{intvls}(U) } \sum_{T \in \text{intvls}(U)} \frac{\sup(T) + \inf(T)}{2}$
avg[center]	$\text{points} \rightarrow \pi$ [2D]	$\frac{1}{n} \sum_{p \in U} \tilde{p}$
avg[center]	$\text{line} \rightarrow \pi$ [2D]	$\frac{1}{\ U\ } \sum_{c \in \text{sc}(U)} \tilde{c} \ c\ $
avg[center]	$\text{region} \rightarrow \pi$ [2D]	$\frac{1}{M} \int_U (x, y) dU$ where $M = \int_U dU$
single	$\sigma \rightarrow \pi$	if $\exists u : U = \{u\}$ then u else \perp

The following example shows how with **union** and **intersection** we also have the corresponding aggregate functions over sets of objects (relations) available.

Example 4. “Determine the region of Europe from the regions of its countries.”

```
LET sum = AGGREGATE(union, TheEmptyRegion);
LET Europe = SELECT sum(area) FROM country
```

This makes use of the facility for constructing aggregate functions described in Section 2. TheEmptyRegion is some empty region constant defined in the database.

4.2.4 Aggregation. Aggregation reduces sets of points to points (Table X).

In one-dimensional space, where total orders are available, closed sets have minimum and maximum values, and functions (**min** and **max**) that extract these are provided. For open and half-open intervals, we choose to let these functions return infimum and supremum values, i.e., the maximum and minimum of their closure. This is preferable over returning undefined values.

In all domains that have addition, we can compute the average (**avg**). In 2D, the average is based on vector addition, and is usually called the **center** (of gravity).

It is often useful to have a “casting” operation available to transform a singleton set into its single value. For example, some operations have to return set types, although the result is often expected to be a single value. The operation **single** does this conversion.

Example 5. The query “Find the point where highway A1 crosses the river Rhine!” can be expressed as:

```
LET RhineA1 = ELEMENT(
  SELECT single(crossings (R.route, H.route))
  FROM river R, highway H
  WHERE R.name = “Rhine” and H.name = “A1” and
    R.route intersects H.route)
```

The result can be used as a *point* value in further queries, whereas **crossings** returns a *points* value.

In the definition of semantics, the one for the average of a *line* value needs some explanation. Recall that $sc(U)$ denotes the set of simple curves from which line U is built. We define the x - and y -projections of a curve c : $\forall u \in [0, 1] : c_x(u) = x$ and $c_y(u) = y$ iff $c(u) = (x, y)$. Then the length of a curve c , denoted $\|c\|$, is defined as

$$\|c\| = \int_0^1 \sqrt{c'_x(u)^2 + c'_y(u)^2} du$$

where, e.g., c'_x is the derivative of c_x , that is, $dc_x(u)/du$. The length of a line U , denoted $\|U\|$, is given by the sum of the lengths of its curves, hence $\|U\| = \sum_{c \in sc(U)} \|c\|$. The average of a curve c is defined as a point vector:

$$\bar{c} = \int_0^1 \overline{c(u)} du$$

In the definition of **avg** (or **center**) of a region, integration is done over pieces of the region according to the general formula

$$\int_S f(x, y) dS$$

which integrates a function f defined on the two-dimensional plane over an arbitrary region S . In this case integration is done over the vectors (x, y) for each piece dU .

4.2.5 Numeric Properties of Sets. For sets of points, some well-known numeric properties exist (Table XI).

For example, the number of components (**no_components**) is the number of disjoint maximal connected subsets, i.e., the number of faces for a region, connected components for a line graph, and intervals for a one-dimensional point set. The **size** is defined for all continuous set types (i.e., for *range(real)*, *periods*, *line*, and *region*). For one-dimensional types, the size is the sum of the lengths of component intervals; for line, it is the length; and for region, it is the area. For the region type, we are additionally interested in the size of the boundary, called **perimeter**.

Example 6. “List for each country its total size and the number of disjoint land areas.”

```
SELECT name, area(area), no_components(area) FROM country
```

Table XI. Numeric Operations

Operation	Signature		Semantics
no_components	σ	$\rightarrow int$	[1D] $ intvls(U) $
no_components	$points$	$\rightarrow int$	$ U $
no_components	$line$	$\rightarrow int$	$ blocks(U) $
no_components	$region$	$\rightarrow int$	$ faces(U) $
size[duration]	σ	$\rightarrow real$	[1Dcont] $\sum_{T \in intvls(U)} \sup(T) - \inf(T)$
size[length]	$line$	$\rightarrow real$	$\ U\ $
size[area]	$region$	$\rightarrow real$	$\int_U dU$
perimeter	$region$	$\rightarrow real$	$f_{length}(\partial U)$

Table XII. Distance and Direction Operations

Operation	Signature		Semantics
distance	$\pi \times \pi$	$\rightarrow real$	[1Dcont] $ u - v $
	$\pi \otimes \sigma$	$\rightarrow real$	[1Dcont] $\min\{ u - v \mid v \in V\}$
	$\sigma \times \sigma$	$\rightarrow real$	[1Dcont] $\min\{ u - v \mid u \in U, v \in V\}$
	$\pi \times \pi$	$\rightarrow real$	[2D] $dist(u, v) = \sqrt{(u.x - v.x)^2 + (u.y - v.y)^2}$
	$\pi \otimes \sigma$	$\rightarrow real$	[2D] $\min\{dist(u, v) \mid v \in V\}$
	$\sigma \times \sigma$	$\rightarrow real$	[2D] $\min\{dist(u, v) \mid u \in U, v \in V\}$
direction	$point \times point$	$\rightarrow real$	see below

Example 7. “How long is the common border of France and Germany?”

```

LET France =
  ELEMENT(SELECT area FROM country WHERE name = "France");
LET Germany =
  ELEMENT(SELECT area FROM country WHERE name = "Germany");
length(common_border(France, Germany))

```

4.2.6 Distance and Direction. A distance measure exists for all continuous types. The **distance** function determines the minimum distance between the closest pair of points from the first and second arguments. The distance between two points is the absolute value of the difference in one-dimensional space and the Euclidean distance in two-dimensional space. The time domain inherits arithmetics from the domain of real numbers, to which it is isomorphic.

The direction between points is sometimes of interest. A **direction** function is thus included that returns the angle of the line from the first to the second point, measured in degrees ($0 \leq angle < 360$). Hence, if q is exactly north of p , then **direction**(p, q) = 90. If $p = q$, then the direction operation returns the undefined value \perp . A formal definition is straightforward, but a bit lengthy and omitted here; it can be found in Güting et al. [1998].

Example 8. “Find all cities north of and within 200 kms of Munich!”

```

LET Munich = ELEMENT(SELECT center FROM city WHERE name =
  "Munich");
SELECT name FROM city

```

Table XIII. Boolean Operations

Operation	Signature	Semantics
and, or	$bool \times bool \rightarrow bool$	as usual (with strict evaluation)
not	$bool \rightarrow bool$	

Table XIV. Operations for Projection of Temporal Values into Domain and Range

Operation	Signature	Semantics
deftime	$moving(\alpha) \rightarrow periods$	$dom(\mu)$
rangevalues	$moving(\alpha) \rightarrow range(\alpha) [1D]$	$rng(\mu)$
locations	$moving(point) \rightarrow points$	$isolated(rng(\mu))$
	$moving(points) \rightarrow points$	$isolated(\cup rng(\mu))$
trajectory	$moving(point) \rightarrow line$	$rng(\mu) \setminus f_{locations}(\mu)$
	$moving(points) \rightarrow line$	$\cup rng(\mu) \setminus f_{locations}(\mu)$
traversed	$moving(line) \rightarrow region$	$\rho((\cup rng(\mu)) \circ)$
	$moving(region) \rightarrow region$	$\cup rng(\mu)$
routes	$moving(line) \rightarrow line$	$\rho(\cup rng(\mu)) \setminus f_{traversed}(\mu)$
inst	$intime(\alpha) \rightarrow instant$	t where $u = (t, v)$
val	$intime(\alpha) \rightarrow \alpha$	v where $u = (t, v)$

WHERE **distance**(center, Munich) < 200 **and**
direction(Munich, center) >= 45 **and**
direction(Munich, center) <= 135

In this way we can express direction relationships such as north, south, etc., via numeric relationships.

4.2.7 Specific Operations for Base Types. Some operations on base types are needed that are not related to the point/point set view. We mention them because they have to be included in the scope of operations to be lifted, i.e., the kernel algebra (see Table XIII).

4.2.8 Scope of the Kernel Algebra. The kernel algebra is defined to consist of the types in $BASE \cup SPATIAL$, together with all operations defined in Section 4.2, restricted to these types.

4.3 Operations on Temporal Types

Values of temporal types (i.e., types $moving(\alpha)$) are partial functions of the form $f : A_{instant} \rightarrow \bar{A}_\alpha$. In the following sections we discuss operations for projection into domain and range, interaction with values from domain and range, the **when** operation, lifting, and operations related to rate of change.

4.3.1 Projection to Domain and Range. For values of all $moving$ types (which are functions), operations are provided that yield the domain and range of these functions (Table XIV). The domain function **deftime** returns the times for which a function is defined.

In one-dimensional space, operation **rangevalues** returns values assumed over time as a set of intervals. For the two-dimensional types,

operations are offered to return the parts of the projections corresponding to our data types. For example, the projection of a moving point into the plane may consist of points and of lines; these can be obtained separately by operations **locations** and **trajectory**, respectively. In particular, if a moving point (or point set) changes its position in discrete steps only, then **locations** returns its projection as a *points* value. Operation **routes** similarly returns the projection of a discretely moving *line* value. The more natural projections of continuously moving objects are obtained by operations **trajectory** and **traversed**.

For values of *intime* types, the two trivial projection operations **inst** and **val** are offered, yielding the two components.

All the infinite point sets that result from domain and range projections are represented in collapsed form by the corresponding point set types. For example, a set of instants is represented as a *periods* value, and an infinite set of regions is represented by the union of the points of the regions, which is represented in turn as a *region* value. That these projections can be represented as finite collections of intervals, faces, etc., and hence correspond to our data types, is due to the continuity condition required for types *moving*(α) (see Section 3.1.4).

The design is complete in that all projection values in domain and range can be obtained. This was one of the major principles in the design of the type system, as discussed in Section 3.2.

For defining the semantics of operations on temporal types, a little more notation is needed. For a partial function $f : A \rightarrow B$ we write $f(x) = \perp$ whenever f is undefined for $x \in A$. To adjust the undefined value \perp for values of type points, line, and region to \emptyset , we use the function:

$$x \uparrow \alpha = \begin{cases} \emptyset & \text{if } x = \perp \wedge \alpha \in \{\text{points}, \text{line}, \text{region}\} \\ x & \text{otherwise} \end{cases}$$

The *domain* of f is given by $\text{dom}(f) = \{x \in A \mid f(x) \neq \perp\}$. Similarly, the *range* of f is defined by $\text{rng}(f) = \{y \in B \mid \exists x \in A : f(x) = y\}$. If the elements of $\text{rng}(f)$ are sets, then we write $\cup \text{rng}(f)$ as an abbreviation of the union of all these sets, i.e., $\cup \text{rng}(f) = \cup_{Y \in \text{rng}(f)} Y$.

Example 9. To illustrate operations on temporal types, we use the example relations:

```
flight(airline: string, no:int, from:string, to:string, route:mpoint)
weather(name: string, kind:string, area:mregion)
site(name: string, pos:point)
```

Attributes *airline* and *no* of the relation *flight* identify a flight. In addition, the relation records the names of the departure and destination cities and the route taken for each flight. The last attribute is of type *moving(point)*. We assume that a flight's route is defined only for the times the plane is in flight and not when it is on the ground.

The relation `weather` records weather events such as high pressure areas, storms, or temperature maps. Some of these events are given names to identify them. The attribute `kind` gives the type of weather event, such as “snow-cloud” or “tornado,” and the area attribute provides the evolving extent of each weather event.

Relation `site` contains positions of certain well-known sites such as the Eiffel tower, Big Ben, etc.

Example 10. With the operations of this section we can formulate the following queries: “How long is the part of the route of flight LH 257 that lies within France?”

```
LET route257 = ELEMENT(
  SELECT route FROM flight WHERE airline = "LH" and no = 257);
length(intersection(France, trajectory(route257))
```

“What are the departure and arrival times of flight LH 257?”

```
min(deftime(route257)); max(deftime(route257));
```

Example 11. “At what time and distance does flight 257 pass the Eiffel tower?”

We assume a **closest** operator with signature $mpoint \times point \rightarrow intime(point)$, which returns time and position when a moving point is closest to a given fixed point in the plane. We will later show how such an operator can be defined in terms of others.

```
LET EiffelTower =
  ELEMENT(SELECT pos FROM site WHERE name = "Eiffel Tower");
LET pass = closest(route257, EiffelTower);
inst(pass); distance(EiffelTower, val(pass))
```

4.3.2 Interaction with Points and Point Sets in Domain and Range. In this section we systematically study operations that relate the functional values of moving types with values either in their (time) domain or their range. For example, a moving point moves through the two-dimensional plane; does it pass a given point or region in this plane? Does a moving real ever assume the given value 3.5? Besides comparison, one can also restrict the moving entity to the given domain or range values, e.g., get the part of the moving point when it was within the region, or determine the value of the moving real at time t or within time interval $[t_1, t_2]$.

In Table XV, the first group of operations concerns interaction with time domain values, the second interaction with range values. Operations **atinstant** and **atperiods** restrict a moving entity to a given instant, resulting in a pair (instant, value), or to a given set of time intervals, respectively. The **atinstant** operation is similar to the timeslice operator found in most temporal relational algebras (see, e.g., McKenzie and Snodgrass [1991]; Özsoyoglu and Snodgrass [1995]). Operations **initial** and **final** return the first and last (instant, value) pair, respectively. Operation **present** allows one to check whether the moving value exists at a given instant, or is ever present during a given set of time intervals.

Table XV. Interaction of Temporal Values With Values in Domain and Range

Operation	Signature	Semantics
atinstant	$moving(\alpha) \times instant \rightarrow intime(\alpha)$	$(t, \mu(t) \uparrow \alpha)$
atperiods	$moving(\alpha) \times periods \rightarrow moving(\alpha)$	$\{(t, y) \in \mu \mid t \in T\}$
initial	$moving(\alpha) \rightarrow intime(\alpha)$	$\lim_{t \rightarrow \inf(dom(\mu))} \mu(t)$
final	$moving(\alpha) \rightarrow intime(\alpha)$	$\lim_{t \rightarrow \sup(dom(\mu))} \mu(t)$
present	$moving(\alpha) \times instant \rightarrow bool$	$\mu(t) \neq \perp$
present	$moving(\alpha) \times periods \rightarrow bool$	$f_{atperiods}(\mu, T) \neq \emptyset$
at	$moving(\alpha) \times \alpha \rightarrow moving(\alpha)$	[1D] $\{(t, y) \in \mu \mid y = b\}$
at	$moving(\alpha) \times range(\alpha) \rightarrow moving(\alpha)$	[1D] $\{(t, y) \in \mu \mid y \in B\}$
at	$moving(\alpha) \times point \rightarrow mpoint$	[2D] $\{(t, y) \in \mu \mid y = u\}$
at	$moving(\alpha) \times \beta \rightarrow moving(\alpha)$	[2D] $\{(t, y) \in \mu \mid y \in U\}$
atmin	$moving(\alpha) \rightarrow moving(\alpha)$	[1D] $\{(t, y) \in \mu \mid y = \min(rng(\mu))\}$
atmax	$moving(\alpha) \rightarrow moving(\alpha)$	[1D] $\{(t, y) \in \mu \mid y = \max(rng(\mu))\}$
passes	$moving(\alpha) \times \beta \rightarrow bool$	$f_{at}(\mu, x) \neq \emptyset$

In the second group, the purpose of **at** is again restriction (such as **atinstant**, **atperiods**), this time to values in the range. For one-dimensional space, restriction by either a point or a point-set value returns a value of the given moving type. For example, we can reduce a moving real to the times when its value was between 3 and 4. In two dimensions, the resulting moving type is obtained by taking the minimum of the two argument types α and β with respect to the order $point < points < line < region$. For example, the restriction of a $moving(region)$ by a $point$ will result in a $moving(point)$. This is analogous to the definition of result types for **intersection** in two dimensions in Section 4.2.3.

In one-dimensional spaces, operations **atmin** and **atmax** restrict the moving value to the times when it is minimal or maximal with respect to the total order on this space. Operation **passes** allows one to check whether the moving value ever assumed (one of) the value(s) given as a second argument.

For the definition of semantics, notation for the arguments is defined in Section 4.2.1. In particular, μ is a function argument and a function is a set of (argument, value) pairs.

All of these operations are of interest from a language design point of view. Some of them are derived, however, so they can be expressed by other operations in the design. For example, we have

$$\mathbf{present}(f, t) = \mathbf{not}(\mathbf{isempty}(\mathbf{val}(\mathbf{at\ instant}(f, t))))$$

Example 12. “When and where did flight 257 enter the territory of France?”

```
LET entry = initial (at(route257, France)); inst(entry); val(entry)
```

Example 13. “For which periods of time was the Eiffel Tower within snow storm ‘Lizzy’?”

```
LET Lizzy = ELEMENT(SELECT area FROM weather
  WHERE name = "Lizzy" and kind = "snow storm");
deftime(at(Lizzy, EiffelTower))
```

Table XVI. The **when** Operation

Operation	Signature	Semantics	Syntax
when	$moving(\alpha) \times (\alpha \rightarrow bool) \rightarrow moving(\alpha)$	$\{(t, y) \in \mu \mid p(y)\}$	$arg_1 op[arg_2]$

4.3.3 The Elusive *when* Operation. We now consider (speculate about) an extremely powerful, yet conceptually quite simple, operation called **when**, whose signature is shown in Table XVI. The idea is that we can restrict a time-dependent value to the periods when its range value fulfils some property specified as a predicate. If we had such an operator, we could express a query such as “Restrict a moving region *mr* to the times when its area was greater 1000” as

mr **when** [FUN (*r*:*region*) **area**(*r*) > 1000]

Here the result would again be of type *mregion*.

Whereas such an operation would be very powerful and desirable, it is questionable whether such a definition makes any sense. This is because the operator has to call for evaluation of the parameter predicate infinitely many times, since our moving entities are functions over a continuous domain. Looping over an infinite domain is inherently impossible. So for the moment this operation seems impossible to implement.

4.3.4 Lifting Operations to Time-Dependent Operations. Section 4.2 systematically defines operations on nontemporal types, the *kernel algebra*. This section uniformly lifts these operations to apply to the corresponding moving (temporal) types.

Consider an operation to be lifted. The idea is to allow any argument of the operation to be made temporal and to return a temporal type. More specifically, the lifted version of an operation with signature $\alpha_1 \times \dots \times \alpha_k \rightarrow \beta$ has signatures $\alpha'_1 \times \dots \times \alpha'_k \rightarrow moving(\beta)$ with $\alpha' \in \{\alpha_i, moving(\alpha_i)\}$. So each of the argument types may change into a time-dependent type that will transform the result type into a time-dependent type as well. The operations that result from lifting are given the same name as the operation they originate from. For example, the **intersection** operation with signature

$$region \times point \rightarrow point$$

is lifted to the signatures

$$mregion \times point \rightarrow mpoint$$

$$region \times mpoint \rightarrow mpoint, \text{ and}$$

$$mregion \times mpoint \rightarrow mpoint.$$

To define the semantics of lifting, we note that an operation $op : \alpha_1 \times \dots \times \alpha_k \rightarrow \beta$ can be lifted with respect to any combination of argument

types. Such a combination can be conveniently described by a set of indices $L \subseteq \{1, \dots, k\}$ for the lifted parameters, and we define

$$\alpha_i^L = \begin{cases} \text{moving}(\alpha_i) & \text{if } i \in L \\ \alpha_i & \text{otherwise} \end{cases}$$

Thus, the signature of any lifted version of op can be written as $op : \alpha_1^L \times \dots \times \alpha_k^L \rightarrow \text{moving}(\beta)$. If f_{op} is the semantics of op , we now have to define the semantics of f_{op}^L for each possible lifting L . For this, we define what it means to apply a possibly lifted value to an *instant*-value:

$$x_i^L(t) = \begin{cases} x_i(t) & \text{if } i \in L \\ x_i & \text{otherwise} \end{cases}$$

Now we can define the functions f_{op}^L pointwise by

$$f_{op}^L(x_1, \dots, x_k) = \{(t, f_{op}(x_1^L(t), \dots, x_k^L(t))) \mid t \in A_{\text{instant}}\}$$

This lifting of operations generalizes existing operations that did not appear to be of great utility to operations that are quite useful. For example, an operator that determines the intersection of a *region* with a *point* may not be of great interest, but the operation that determines the intersection between a region and an *mpoint* (“get the part of the *mpoint* within the region”) is quite useful. This explains why Section 4.2.3 takes care to define the set operations for all argument types, including single points.

The fact that now all operations of the kernel algebra are also available as time-dependent operations results in a very powerful query language. Here are some examples.

Example 14. We can formulate pretty involved queries such as “For how long did the moving point `mp` move along the boundary of region `r`?”

duration(**deftime**(**at**(**on_border**(`mp`, `r`), **TRUE**)))

Here predicate **on_border** yields a result of type *mbool*. This result is defined for all times that `mp` is defined and has value **TRUE** or **FALSE**. Operation **at** reduces the definition time of this *mbool* to the times when it has value **TRUE**.

Example 15. “Determine the periods of time when snow storm ‘Lizzy’ consisted of exactly three separate areas.”

deftime(**at**(**no_components**(`Lizzy`) = 3, **TRUE**)))

Again, this works because ‘Lizzy’ is of type *mregion*, hence the lifted versions of **no_components** and equality apply.

Example 16. We are now able to define the **closest** operator of Example 11 within a query:

LET **closest** = **FUN** (`mp`:*mpoint*, `p`:*point*)
atinstant(`mp`, **inst**(**initial**(**atmin**(**distance**(`mp`, `p`))))))

This depends on the lifted **distance** operator. We reduce the resulting *mreal* to the times when it is minimal, take the first such (instant, value) pair and then the instant from this pair. Finally, the original moving point is taken at this instant.

Lifting is the key to achieving the goal of consistency and closure between nontemporal and temporal operations, as explained in Section 4.1.

4.3.5 The Elusive *when* Revisited. After lifting the operations of the kernel algebra, it turns out that we have another way of expressing the query of Section 4.3.3: “Restrict a moving region *mr* to the times when its size was greater 1000”. Using **when**, this was written as

```
mr when[FUN (r:region) area (r) > 1000]
```

Using the lifted versions of **area** and **>**, this is equivalent to

```
atperiods(mr, deftime(at(area(mr) > 1000, TRUE)))
```

Why is it suddenly possible to realize the effect of the apparently unimplementable **when**? The reason is that we did not try to evaluate the parameter expression **area**(*r*) > 1000 on infinitely many instances of parameter *r*, but instead evaluated its “lifted version” **area**(*mr*) > 1000 on the original argument *mr* of **when**. In terms of implementation, there are two different functions (algorithms) for **area**, one that is applicable to *region* values, and one that is applicable directly to *mregion* values. We do not call the first algorithm (applicable to *region* values) infinitely many times, but instead the latter (applicable to *mregion* values) just once.

This is in fact a general technique for translating **when** queries. It is applicable for all parameter expressions of **when** that are formed using operations of the kernel algebra only. The translation is

$$x \text{ **when** [FUN}(y:\alpha) \text{ } p(y) \text{]} = \text{atperiods}(x, \text{deftime}(\text{at}(p(y)\theta, \text{TRUE})))$$

The substitution $\theta = \{y/x\}$, applied to $p(y)$, replaces each occurrence of *y* with the original moving object *x* (of type *moving*(α)). Hence, **when** can be implemented by rewriting it in this way. So based on lifting and rewriting, we have in fact obtained an effective implementation of the **when** operator.

4.3.6 Rate of Change. An important property of any time-dependent value is its rate of change, i.e., its **derivative**. To determine which of our data types this concept is applicable to, consider the definition of the derivative, given next.

$$f'(t) = \lim_{\Delta t \rightarrow 0} \frac{f(t + \Delta t) - f(t)}{\Delta t}$$

This definition, and thus the notion of derivation, is applicable to any temporal type *moving*(α) with a range type α that (i) supports a difference operation and (ii) supports division by a value of type *real*.

Table XVII. Derivative Operations

Operation	Signature	Semantics
derivative	$mreal \rightarrow real$	μ' where $\mu'(t) = \lim_{\delta \rightarrow 0} (\mu(t + \delta) - \mu(t)) / \delta$
speed	$mpoint \rightarrow mreal$	μ' where $\mu'(t) = \lim_{\delta \rightarrow 0} f_{\text{distance}}(\mu(t + \delta), \mu(t)) / \delta$
turn	$mpoint \rightarrow mreal$	μ' where $\mu'(t) = \lim_{\delta \rightarrow 0} f_{\text{direction}}(\mu(t + \delta), \mu(t)) / \delta$
velocity	$mpoint \rightarrow mpoint$	μ' where $\mu'(t) = \lim_{\delta \rightarrow 0} (\mu(t + \delta) - \mu(t)) / \delta$

Type *real* clearly qualifies as a range type. For type *point*, at least three operations may assume the role of difference in the definition, namely the Euclidean distance, the direction between two points, and the vector difference (viewing points as 2D vectors). This leads to three different derivative operations, which we call **speed**, **turn**, and **velocity**, respectively (see Table XVII). Note that we can get the acceleration of a moving point `mp` as a number by **derivative(speed(mp))** and as a vector, or moving point, by **velocity(velocity(mp))**.

The notion of derivation does not apply to the discrete data types *int*, *string*, and *bool* because there is no division available (for *string* and *bool*, a difference operation is also absent). There is also no obvious way to define difference and division for regions, although some ideas for this are discussed in Güting et al. [1998].

Example 17. Nevertheless, one can still observe, for example, the growth rate of a moving region: “At what time did snow storm Lizzy expand most?”

inst(initial(atmax(derivative(area(Lizzy)))))

Example 18. “Show on a map the parts of the route of flight 257 when the plane’s speed exceeds 800 km/h.”

trajectory(atperiods(route257, deftime(at(speed(route257) > 800, TRUE))))

Of course, the background of the map still has to be produced by a different tool or query.

4.4 Operations on Sets of Objects

All operations defined in Sections 4.2 and 4.3 apply to “atomic” data types only, i.e., attribute data types with respect to a DBMS data model. All data types of our design, as described in Section 3, and including the temporal ones, are atomic in this sense. However, sometimes in the design of data types for new applications there are operations of interest that cannot be formulated in terms of the atomic data types alone, but need to manipulate a set of database objects (with attributes of the new data types) as a whole. An example in spatial databases is the computation of a Voronoi diagram. Such data type related operations on sets of objects have been introduced earlier, for example, in the ROSE algebra [Güting and Schneider 1995].

In the design of this paper we need only a single set operator, called **decompose**. Its purpose is to make the components of values of point set types accessible within a query. “Components” refers to connected compo-

Table XVIII. Operations on Sets of Database Objects

Operation	Signature	Semantics
decompose	$set(\omega_1) \times (\omega_1 \rightarrow \sigma) \times ident$	$\rightarrow set(\omega_2)$ see Def. 18
	$set(\omega_1) \times (\omega_1 \rightarrow moving(\alpha)) \times ident$	$\rightarrow set(\omega_2)$ see Def. 18

nents; all our point set types are defined to have a structure that consists of a finite number of connected components. For any *range* type, a component is a single interval; for the types *points*, *line*, and *region*, a component is a single point, a maximal connected subgraph, and a face, respectively (this is defined formally below).

Decomposition basically transforms a value of some point set type σ into a set of values of the same type σ such that each value in the result set contains a single component.

Similarly, **decompose** makes the connected components of temporal data types available. Here a component is a maximal continuous part of the function value.

As a manipulation of a set of database objects, this is treated as follows. The first argument of **decompose** is a set of database objects (e.g., a set of tuples in the relational model). The second argument is a function (e.g., an attribute name) that maps an object (e.g., a tuple) into a value of some point set type. The third argument is an identifier, used as a name for a new attribute. The result set of objects is produced as follows: For each object u with an attribute value that has k components, **decompose** returns k copies of u , each of which is extended by one of the k component values (under the new attribute). The signature is shown in Table XVIII.

The syntax for applying this operator is $arg_1 op[arg_2, arg_3]$. The semantics can be defined formally as follows.

Let S be a value of any of our point set types, and μ a value of a temporal type. We first define a generic function *comp* to decompose S or μ into a finite set of values of the same type, namely:

$$comp(S) = \begin{cases} intervals(S) & \text{if } S \text{ is of type } range(\alpha) \\ \{\{p\} | p \in S\} & \text{if } S \text{ is of type } points \\ blocks(S) & \text{if } S \text{ is of type } line \\ faces(S) & \text{if } S \text{ is of type } region \end{cases}$$

$$comp(\mu) = \Gamma(\mu)$$

Here $\Gamma(\mu)$ is the function that determines the maximal continuous components of a moving object μ as defined in the Appendix.

Let $O = \{o_1, \dots, o_n\}$ be a set of database objects (e.g., tuples) and let *attr* be a function yielding an attribute value of a database object $o \in O$. Let *name* be a name for the new attribute. Furthermore, let \oplus be a function that appends an attribute value to a database object, or an attribute to an object type. Then

$$f_{\text{decompose}}(O, \text{attr}, \text{name}) = \{o \oplus v \mid o \in O, v \in \text{comp}(\text{attr}(o))\}$$

The type mapping performed by the **decompose** operator is

$$\tau_{\text{decompose}}(\text{set}(\omega_1), \omega_1 \rightarrow \gamma, \text{name}) = \text{set}(\omega_1 \oplus (\text{name}, \gamma))$$

That is, the result is a set of objects with an additional attribute “name” of type γ .

Example 19. Consider the relation `country(name:string, area:region)` introduced earlier. The query

```
country decompose[area, part]
```

returns a relation with schema (name: *string*, area: *region*, part: *region*)

Example 20. This example illustrates decomposition of a temporal value. Let us assume that flight 257 alternates between being over land areas of Europe and over the sea. We would like to see a list of time periods, ordered by duration, when flight 257 was over land.

```
LET land257 = SET(route, at(route257, Europe))
decompose[route, piece];
SELECT start AS min(deftime(piece)),
       duration AS duration(deftime(piece))
end AS max(deftime(piece)),
FROM land257
ORDER BY duration
```

Here the **at** operation restricts flight 257 to the parts above Europe (whose area was computed earlier in Example 4). The SET constructor transforms this into a relation with one tuple and a single attribute `route` containing this value. Then **decompose** is applied to this relation, which puts each component of the moving point into a separate tuple. The relation `land257` created in this way is then processed in the next part of the query.

5. APPLICATION EXAMPLES

To illustrate the query language resulting from our design, in this section we consider two rather different example applications. The first, related to multimedia presentations, has relatively simple spatio-temporal data that change only in discrete steps. The second, forest fire analysis, allows us to show some more advanced examples on moving objects, and on moving regions in particular.

5.1 Multimedia Scenario

Multimedia presentations are good examples of spatio-temporal contexts. Here we have multimedia objects that are presented for some time occupying space on the screen (we assume that they are rectangles) and then they disappear. A crucial part of a multimedia scenario is the set of spatio-temporal relationships/constraints that define the spatial and/or temporal order of media object presentations [Vazirgiannis et al. 1998]. The ability to




Fig. 2. Spatial and temporal layout of a news clip.

query the spatio-temporal configuration of a multimedia presentation would be an important aid to multimedia application designers.

A sample scenario for a news clip might be described as follows. The news clip starts with presentation of image A located at point (50, 50) relative to the origin of the application. Background music E starts at the same time. Video clip B starts 10 seconds later. It appears to the right side (18 cm) and below the upper side of A (12 cm), and so forth. The spatial and temporal configuration (or “layout”) of the scenario is illustrated in Figure 2.

We assume that the following relational schema is used to store information about objects that participate in the presentation as moving regions:

```
object(name:string, actor : mregion)
```

In this case, actors are boxes (trivial moving regions) that result from the presentation of an object for some time. We can then formulate the following queries.

Example 21. “What is the screen (spatial) layout at the 5th second of the application?”

```
SELECT val(atinstant(actor, 5)) FROM object WHERE present(actor, 5)
```

Example 22. “What is the temporal layout of the application between the 10th and the 18th second of the application?”

```
SELECT name, intersection(deftime(actor), [10,18])
FROM object
WHERE intersects(deftime(actor), [10,18])
```

Example 23. “Which objects overlap spatially object A during its presentation?”

```
SELECT Y.name
FROM object X, object Y,
WHERE intersects(X.actor, Y.actor) and X.name = "A" and
      Y.name != "A"
```

5.2 Forest Fire Control Management

In a number of countries like the USA, Canada, and others, fire is one of the main agents of forest damage. Forest fire control management mainly

pursues the two goals of learning from past fires and their evolution and of preventing fires in the future by studying weather and other factors like cover type, elevation, slope, distance to roads, and distance to human settlements. Specialized geographical information systems enriched by a temporal component and by corresponding analysis tools could be appropriate systems to support these tasks.

In a very simplified manner this application example considers the first goal of learning from past fires and their evolution in space and time. We assume a database containing relations with schemas:

```
forest(forestname:string, territory:mregion)
forest_fire(firename:string, extent:mregion)
fire_fighter(fightername:string, location:mpoint)
```

The relation `forest` records the location and the development of different forests growing and shrinking over time through clearing, cultivation, and destruction processes, for example. The relation `forest_fire` documents the evolution of different fires from their ignition up to their extinction. The relation `fire_fighter` describes the motion of fire fighters being on duty from their start at the fire station up to their return. The following sample queries illustrate enhanced spatio-temporal database functionality.

Example 24. “When and where did the fire called ‘The Big Fire’ have its largest extent?”

```
LET TheBigFire = ELEMENT(
  SELECT extent FROM forest_fire WHERE firename = "The Big Fire");
LET max_area = initial(atmax(area(TheBigFire)));
atinstant(TheBigFire, inst(max_area));
val(max_area)
```

The second argument of **atinstant** computes the time when the area of the fire was maximum. The **area** operator is used in its lifted version.

Example 25. “Determine the total size of the forest areas destroyed by the fire called ‘The Big Fire’.” We assume a fire can reach several, perhaps adjacent, forests.

```
LET ever = FUN (mb:mbool) passes(mb, TRUE);
LET burnt =
  SELECT size AS area(traversed(intersection(territory, extent)))
  FROM forest_fire, forest
  WHERE firename = "The Big Fire" and
    ever(intersects(territory, extent));
SELECT SUM(size)
FROM burnt
```

Here the **intersects** predicate of the join condition is a lifted predicate. Since the join condition expects a Boolean value, the **ever** predicate checks whether there is at least one intersection between the two *mregion* values just considered.

Example 26. “When and where was the spread of fires larger than 500 km^2 ?”

```

LET big_part =
  SELECT big_area AS extent when[FUN (r:region) area(r) > 500]
  FROM forest_fire;
SELECT *
FROM big_part
WHERE not(isempty(deftime(big_area)))

```

The first subquery reduces the moving region of each fire to the parts when it was large. For some fires this may never be the case, and hence for them `big_area` may be empty (always undefined). These are eliminated in the second subquery.

Example 27. “How long was fire fighter Th. Miller enclosed by the fire called ‘The Big Fire,’ and which distance did he cover there?”

```

SELECT time AS duration(deftime(intersection (location, TheBigFire))),
  distance AS length(trajectory(intersection(location, TheBigFire)))
FROM fire_fighter
WHERE fightername = “Th. Miller”

```

We assume that the value ‘TheBigFire’ has already been determined as in Example 24 and that we know that Th. Miller was in this fire (otherwise time and distance will be returned as zero).

Example 28. “Determine the times and locations when ‘TheBigFire’ started.”

We assume that a fire can start at different times with different initial regions that may merge into one or even stay separate. The task is to determine these initial regions. This is a fairly complex problem, and one may wonder whether it can be expressed with the given operations at all. We show that it is possible.

The crucial point is that with **no_components** we have a tool to find the transitions when a new region (face) was added to the moving region describing the fire. We find the times of these transitions and then go back to the moving region itself to determine the new face starting at this time.

```

LET number_history =
  SET(number, no_components(TheBigFire)) decompose[number, no];
LET history =
  SELECT period AS deftime(no), value AS single(no)
  FROM number_history;
LET pairs =
  SELECT interval1 AS X.period, interval2 AS Y.period
  FROM history X, history Y
  WHERE max(X.period) = min(Y.period) and X.value < Y.value;
SELECT starttime AS min((interval2),
  region AS minus(val(initial(atperiods(TheBigFire, interval2)))
    val(final(atperiods(TheBigFire, interval1)))))
FROM pairs

```

In the first step, the lifted version of **no_components** produces a moving integer describing how many components “TheBigFire” had at different times. We put this into a single attribute/single tuple relation and then apply **decompose**. For a moving integer, each change of value produces

another component, hence after **decompose** there is one tuple for each value with its associated time interval.

In the second step, relation *history* is computed, which has for each of these components its time interval and value. In the third step, a self-join of *history* is performed to find pairs of adjacent time intervals where the number of components increased. In the final step, we compute the transition times (when the number of components increased) as well as the new fire regions. These can be obtained by subtracting the final region of the earlier time interval from the initial region of the later time interval.

Since this observes only changes in the number of components, but not yet the change from 0 to 1, we still have to get the very first time and region of the fire. However, these are very easy to determine by **inst(initial(TheBigFire))** and **val(initial(TheBigFire))**.

Note that the ability to observe structural changes via **no_components**, as demonstrated in the previous example, is important for many applications. For example, one can find transitions when states merged or split (e.g., reunification), when disjoint parts of a highway network were connected, etc.

6. RELATED WORK

The core of this paper's contribution is a framework of data types for capturing the time-varying spatial extents of moving objects. We cover in turn the relation to spatial and temporal databases, then consider a variety of related spatio-temporal proposals. Finally, attention is devoted to the relation to the data types available in object-relational database systems.

The traditional database management systems, offering a fixed set of types for use in columns of tables, are generally inadequate for managing spatial, let alone spatio-temporal, data. The restriction to the use of standard data types forces a decomposition of spatial values into simple components, thus distributing the representation of even a single polygon over many rows. This renders even simple queries difficult to formulate; and they are hopelessly inefficient to process because the decomposed spatial values must be reconstructed.

Observations such as these have led to an abstract data type view of spatial entities with suitable operations, used as attribute types in relational or other systems. Spatial types and operations have been used in many proposals for spatial query languages, for example, Güting [1988] and Egenhofer [1994], and they have been implemented in prototype systems, such as Roussopoulos et al. [1988] and Güting [1989]. Dedicated designs of spatial algebras with formal semantics are given in Scholl and Voisard [1989]; Gargano et al. [1991]; and Güting and Schneider [1995].

Perhaps, in part because of the pervasiveness of time and their simpler structures, time types are already supported by existing database systems, and the SQL standard offers types such as *DATE*, *TIME*, and *TIMESTAMP* [Melton and Simon 1993]. In the research domain, semantic foundations for interpreting time values [Snodgrass 1995, chap. 5] and efficient formats

[Snodgrass 1995, chap. 25] for storing time values have been proposed [Dyreson and Snodgrass 1994], as has extensible, multicultural support, including support for multiple languages, character sets, time zones, and calendars. Most proposals adopt bounded, discrete, and totally ordered types for the representation of time.

The temporal database community has also explored the use of temporal types, but mainly with a focus on temporal base types and at an abstract data-model level. Thus, a number of temporal data models (e.g., TERM [Klopprogge and Lockemann 1983]; HRDM [Clifford 1982; Clifford and Croker 1987]; and Gadia's temporal data model [Gadia 1988]) offer types that are functions from time to types corresponding to the base types in this paper. The related time-sequences data model [Tansel et al. 1993, chap. 11] allows attribute values that are basically sequences of time-value pairs.

Next, temporal data models may be generalized to be spatio-temporal. The idea is simple: Temporal data models provide built-in support for capturing one or more temporal aspects of the database entities. It is conceptually straightforward to also associate the database entities with spatial values. Concrete proposals include a variant of Gadia's temporal model [Tansel et al. 1993, chap. 2]; a derivative of this model [Cheng and Gadia 1994]; and STSQL [Böhlen et al. 1998]. Essentially, these proposals introduce functions from the product of time and space to base domains, and they provide languages for querying the resulting databases. These proposals are orthogonal to the specifics of types, and simply and abstractly assume types of arbitrary subsets of space and time; no frameworks of spatio-temporal types are defined. Over the past decade, Lorentzos has studied the inclusion of a generic interval column data type in multiple papers [Lorentzos and Mitsopoulos 1997]. This type may be used for representing time intervals as well as lengths, widths, heights, etc.

From the other side, it is also possible to generalize spatial data models to become spatio-temporal. The data model by Worboys [1994] represents this approach. Here spatial objects are associated with two temporal aspects and a set of operators for querying is given. However, this model does not provide an expressive type system, but basically offers only a single type, termed ST-complex, with a limited set of operations. In addition, two papers exist that consider spatio-temporal data as a sequence of spatial snapshots, and in this context address implementation issues related to the representation of discrete changes of spatial regions over time [Kämpke 1994; Raafat et al. 1994].

Sistla et al. [1997] present a model for moving objects along with a query language. This model represents the positions of objects as continuous functions of time. However, the model captures just the current and anticipated, near future positions, in the form of motion vectors. The main issue addressed is how often motion vectors need to be updated to guarantee some bound on the error in predicted positions. This model does not describe complete trajectories of moving objects, as is done in this paper,

nor does it offer a comprehensive set of types and operations. Moving regions are not addressed.

Work in constraint databases is applicable to spatio-temporal settings, as arbitrary shapes in multidimensional spaces can be described. Papers that explicitly address spatio-temporal examples and models include Grumbach et al. [1998] and Chomicki and Revesz [1997]. However, this kind of work essentially assumes the single type “set of constraints” and is not concerned with types in the traditional sense. Operations for querying are basically those of relational algebra on infinite point sets. Recent work recognizes the need for including other operations, e.g., distance [Grumbach et al. 1998].

The Informix Dynamic Server with Universal Data Option offers type extensibility [Informix Press 1997a]. So-called DataBlade modules may be used with the system, thus offering new types and associated functions that may be used in columns of database tables. Relevant to this paper, the Informix Geodetic DataBlade Module [Informix Press 1997b] offers types for time instants and intervals as well as spatial types for points, line segments, strings, rings, polygons, boxes, circles, ellipses, and coordinate pairs. Informix does not offer any integrated spatio-temporal data types. Limited spatio-temporal data support may be obtained only by associating separate time and spatial values. The framework put forward in this paper provides a foundation allowing Informix or a third-party developer to develop a DataBlade that extends Informix with expressive and truly spatio-temporal data types.

Since 1996, the Oracle DBMS has offered a so-called spatial data option, termed a Spatial Cartridge, that allows the user to better manage spatial data [Oracle Corp. 1997]. Current support encompasses geometric forms such as points and point clusters, lines and line strings, and polygons and complex polygons with holes. However, no spatio-temporal types are available in Oracle.

The support offered by Oracle resembles the support offered by DB2's Spatial Extender [Davis 1998], which offers spatial types such as point, line, and polygon, along with “multi” versions of these, as well as associated functions, yielding several spatial ADTs. Like Oracle, spatio-temporal types are absent.

7. CONCLUSIONS

The contribution of this paper is an integrated, comprehensive design of abstract data types involving base types, spatial types, time types, as well as consistent temporal and spatio-temporal versions of these. Embedding this in a DBMS query language, one obtains a query language for spatio-temporal data, and moving objects in particular, whose flexibility, expressivity, and ease of use is so far unmatched in the literature. Some unique aspects of our framework are the following:

—The emphasis on genericity, closure, and consistency.

- The abstract level of modeling. This design includes the first comprehensive model of spatial data types (going beyond the study of just topological relationships) formulated entirely at the abstract infinite point set level.
- Continuous functions. This is also to our knowledge the first model that deals systematically and coherently with continuous functions as values of attribute data types.
- Lifting. The idea of defining a kernel algebra over nontemporal types that is then lifted uniformly to operations over temporal types seems to be a new and important concept to achieve consistency between nontemporal and temporal operations.

Complete, precise definitions of signatures for all operations and of the semantics of types and operations have been provided. The usability of the design as a query language has been demonstrated by example applications and queries.

In this paper we have restricted attention to moving spatial objects in the two-dimensional space. This is motivated by the fact that spatial data types in 2D have been in the focus of database research and are well understood. Also, the temporal versions of two-dimensional objects are embedded in a three-dimensional space, which is still easy to comprehend and visualize. An extension to moving points in the three-dimensional space would probably not be difficult. However, a comprehensive design like the one in this paper, including moving volumes, their projection into space, etc., seems much more involved and is left to future work.

The next steps in the line of work suggested by this paper are (i) Design a discrete model. As mentioned earlier, the abstract model of this paper has to be instantiated by selecting discrete representations. The issues arising at this step are discussed in some detail in Erwig et al. [1999]. (ii) Given a discrete model, design appropriate data structures for the types and algorithms for the operations. (iii) Implement the data structures and algorithms in the form of a DBMS extension package for some extensible DBMS interface (e.g., as a data blade).

A design of a discrete model has in the meantime been presented in Forlizzi et al. [2000], and the implementation of an extension package is underway.

APPENDIX: Definition of Continuity

We are interested in a generalized definition of continuity that is valid for all our temporal data types (i.e., types $moving(\alpha)$), whereas the well-known classical definition refers only to real-valued functions. The definition should capture discrete changes. A discrete change occurs when, for example, a new point appears in a points value, a curve in a line value suddenly turns by 90 degrees, or a region value (“from one instance to the next”) is suddenly displaced to a new position. Intuitively, discontinuity means that

the value changes in a single step without traversing all the intermediate stages.

We start by slightly modifying the basic definition of continuity. Since we are interested in temporal functions, the definition is given for them directly, rather than in more abstract terms.

Definition 19. Let $f : \bar{A}_{instant} \rightarrow \bar{A}_\alpha$, and $t \in \bar{A}_{instant}$. f is ψ -continuous in t iff

$$\forall \gamma > 0 \exists \epsilon > 0 \text{ such that } \forall \delta < \epsilon : \psi(f(t \pm \delta), f(t)) < \gamma$$

where $\gamma, \epsilon, \delta \in \mathbb{R}$, and ψ is a function $\psi : \bar{A}_\alpha \times \bar{A}_\alpha \rightarrow \mathbb{R}$.

Hence, continuity is determined by the function ψ , which expresses a measure of dissimilarity of its two arguments. It should be zero iff the two values are equal, and it should approach zero when the two values get more and more similar. The definition then says that for any chosen threshold γ , we can find an ϵ -environment of t where dissimilarity is bounded by γ .

Definition 20. For any type α to which the *moving* type constructor is applicable, the dissimilarity function ψ is defined as follows:

$$\alpha \in \{int, string, bool\} : \psi(x, y) = \begin{cases} 0 & \text{if } x = y \\ 1 & \text{otherwise} \end{cases}$$

$$\alpha = real : \psi(x, y) = |x - y|$$

$$\alpha = point : \psi(p_1, p_2) = d(p_1, p_2)$$

$$\alpha = points : \psi(p_1, p_2) = \sum_{p \in P_1} d(p, P_2) + \sum_{p \in P_2} d(p, P_1)$$

$$\alpha = line : \psi(L_1, L_2) = \sum_{c \in c(L_1)} \int_0^1 d(c(u), L_2) du + \sum_{c \in c(L_2)} \int_0^1 d(c(u), L_1) du$$

$$\alpha = region : \psi(R_1, R_2) = size(R_1 \setminus R_2) + size(R_2 \setminus R_1)$$

Here $d(p_1, p_2)$ denotes the Euclidean distance between two points, $d(p, P)$ the distance from p to the closest point in P . Similarly, for a line L , $d(p, L)$ denotes the distance from p to the closest point in L . Finally, $size(R)$ denotes the area of a region R .

This means that there are no continuous changes for the three discrete types; whenever the value changes, a discontinuity occurs. For points, dissimilarity is the sum over the distances from each point of one set to the closest point in the other set. For lines, the idea is the same; one just needs to integrate over the simple curves. For regions, dissimilarity is the area of

the symmetric difference. Note that the definition fulfils the requirements stated for ψ above.

Based on this, the values of our types $moving(\alpha)$ can be partitioned along the time domain into maximal continuous pieces. For a value $\mu \in A_{moving(\alpha)}$, we denote by $\Gamma(\mu)$ its set of maximal continuous components.

ACKNOWLEDGMENTS

We thank the anonymous reviewers whose careful work and suggestions for improvement have led to a much better presentation.

REFERENCES

- BÖHLEN, M. H., JENSEN, C. S., AND SKJELLAUG, B. 1998. Spatio-temporal database support for legacy applications. In *Proceedings of the 1998 ACM Symposium on Applied Computing* (Atlanta, GA, Feb.), 226–234.
- CHENG, T. S., AND GADIA, S. K., 1994. A pattern matching language for spatio-temporal databases. In *Proceedings of the 3rd ACM International Conference on Information and Knowledge Management* (CIKM '94, Gaithersburg, MD, Nov. 28–Dec. 2). ACM Press, New York, NY, 288–295.
- CHOMICKE, J. AND REVESZ, P. 1997. Constraint-based interoperability of spatio-temporal databases. In *Proceedings of the 5th International Symposium on Large Spatial Databases* (Berlin, Germany), 142–161.
- CLIFFORD, J. 1982. A model for historical databases. In *Proceedings of the Workshop on Logical Bases for Data Bases* (Dec.),
- CLIFFORD, J. AND CROKER, A. 1987. The historical relational data model (HRDM) and algebra based on lifespans. In *Proceedings of the Third IEEE International Conference on Data Engineering*, IEEE Computer Society Press, Los Alamitos, CA, 528–537.
- DAVIS, J. R. 1998. IBM's DB2 spatial extender: managing geo-spatial information within the DBMS. Tech. Rep., Research Division, IBM, New York, NY.
- DYRESON, C. E. AND SNODGRASS, R. T. 1994. Efficient timestamp input and output. *Softw. Pract. Exper.* 24, 1 (Jan. 1994), 89–109.
- EGENHOFER, M. J. 1994. Spatial SQL: A query and presentation language. *IEEE Trans. Knowl. Data Eng.* 6, 1 (Feb.), 86–95.
- ERWIG, M., GÜTING, R. H., SCHNEIDER, M., AND VAZIRGIANNIS, M. 1999. Spatio-temporal data types: an approach to modeling and querying moving objects in databases. *GeoInfo.* 3, 3, 269–296.
- FORLIZZI, L., GÜTING, R. H., NARDELLI, E., AND SCHNEIDER, M. 1999. A data model and data structures for moving objects databases. In *Proceedings of the ACM SIGMOD Conference on Management of Data* (Dallas, TX, May), 319–330.
- GAAL, S. 1964. *Point Set Topology*. Academic Press, Inc., Duluth, MN.
- GADIA, S. K. 1988. A homogeneous relational model and query languages for temporal databases. *ACM Trans. Database Syst.* 13, 4 (Dec. 1988), 418–448.
- GARGANO, M., NARDELLI, E., AND TALAMO, M. 1991. Abstract data types for the logical modeling of complex objects. *Inf. Syst.* 16, 5.
- GRUMBACH, S., RIGAUX, P., AND SEGOUFIN, L. 1998. The DEDALE system for complex spatial queries. *SIGMOD Rec.* 27, 2, 213–224.
- GÜTING, R. H. 1988. Geo-relational algebra: A model and query language for geometric database systems. In *Advances in Database Technology: EDBT '88*, J. W. Schmidt, S. Ceri, and M. Missikoff, Eds., 506–527.
- GÜTING, R. H. 1989. Gral: an extensible relational database system for geometric applications. In *Proceedings of the 15th International Conference on Very Large Data Bases* (VLDB '89, Amsterdam, The Netherlands, Aug 22–25), P. G. Apers and G. Wiederhold, Eds. Morgan Kaufmann Publishers Inc., San Francisco, CA, 33–44.

- GÜTING, R. H. 1993. Second-order signature: A tool for specifying data models, query processing, and optimization. In *Proceedings of the 1993 ACM SIGMOD International Conference on Management of Data* (SIGMOD '93, Washington, DC, May 26–28), P. Buneman and S. Jajodia, Eds. ACM Press, New York, NY, 277–286.
- GÜTING, R. H. 1994. An introduction to spatial database systems. *VLDB J.* 3 (Oct.), 357–399.
- GÜTING, R. H. AND SCHNEIDER, M. 1995. Realm-based spatial data types: The ROSE algebra. *VLDB J.* 4, 2, 100–143.
- GÜTING, R. H., BÖHLEN, M., ERWIG, M., JENSEN, C., LORENTZOS, N., SCHNEIDER, M., AND VAZIRGIANNIS, M. 1998. A foundation for representing and querying moving objects. Tech. Rep. Informatik 238, FernUniversität, Hagen. <http://www.fernuni-hagen.de/inf/pi4/papers/Foundation.ps.gz>
- INFORMIX PRESS. 1997a. *Extending Informix Universal Server: Data Types*. Informix Software, Inc..
- INFORMIX PRESS. 1997b. *Informix Geodetic DataBlade Module: User's Guide*. Informix Software, Inc..
- KLOPPROGGE, M. R. AND LOCKEMANN, P. C. 1983. Modelling information preserving databases: Consequences of the concept of time. In *Proceedings of the 1983 Conference on Very Large Data Bases*, 399–416.
- KÄMPKE, T. 1994. Storing and retrieving changes in a sequence of polygons. *Int. J. Geograph. Inf. Syst.* 8, 6, 493–513.
- LOECKX, J., EHRLICH, H.-D., AND WOLF, M. 1997. *Specification of Abstract Data Types*. Wiley/Teubner computing series. John Wiley and Sons, Inc., New York, NY.
- LORENTZOS, N. A. AND MITSPOPOULOS, Y. G. 1997. SQL extension for interval data. *IEEE Trans. Knowl. Data Eng.* 9, 3 (May/June), 480–499.
- MCKENZIE, L. E. AND SNODGRASS, R. T. 1991. Evaluation of relational algebras incorporating the time dimension in databases. *ACM Comput. Surv.* 23, 4 (Dec. 1991), 501–543.
- MELTON, J. AND SIMON, A. R. 1993. *Understanding the New SQL: A Complete Guide*. Morgan Kaufmann series in data management systems. Morgan Kaufmann Publishers Inc., San Francisco, CA.
- ORACLE CORP. 1997. *Oracle8: Spatial Cartridge*. Oracle Corp., Redwood City, CA.
- ÖZSOYOĞLU, G. AND SNODGRASS, R. 1995. Temporal and real-time databases: A survey. *IEEE Trans. Knowl. Data Eng.* 7, 4 (Aug.), 513–532.
- RAAFAT, H., YANG, Z., AND GAUTHIER, D. 1994. Relational spatial topologies for historical geographic information. *Int. J. Geograph. Inf. Syst.* 8, 2, 163–173.
- ROUSSOPOULOS, N., FALOUTSOS, C., AND SELLIS, T. 1988. An efficient pictorial database system for PSQL. *IEEE Trans. Softw. Eng.* 14, 5 (May), 639–650.
- SCHOLL, M. AND VOISARD, A. 1989. Thematic map modeling. In *Proceedings of the First Symposium on Design and Implementation of Large Spatial Databases* (SSD '89, Santa Barbara, CA, July 17 and 18), A. P. Buchmann, O. Günther, T. R. Smith, and Y.-F. Wang, Eds. Springer Lecture Notes in Computer Science, vol. 409. Springer-Verlag, New York, NY, 167–190.
- SISTLA, A. P., WOLFSON, O., CHAMBERLAIN, S., AND DAO, S. 1997. Modeling and querying moving objects. In *Proceedings of the 1997 International Conference on Data Engineering*, 422–432.
- SNODGRASS, R. T. 1995. *The TSQL2 Temporal Query Language*. Kluwer Academic Publishers, Hingham, MA.
- TANSEL, A. U., CLIFFORD, J., GADIA, S., JAJODIA, S., SEGEV, A., AND SNODGRASS, R., Eds. 1993. *Temporal Databases: Theory, Design, and Implementation*. Benjamin-Cummings Publ. Co., Inc., Redwood City, CA.
- TILOVE, R. B. 1980. Set membership classification: A unified approach to geometric intersection problems. *IEEE Trans. Comput.* C-29, 874–883.
- VAZIRGIANNIS, M., THEODORIDIS, Y., AND SELLIS, T. 1998. Spatio-temporal composition and indexing for large multimedia applications. *Multimedia Syst.* 6, 4, 284–298.
- WORBOYS, F. 1994. A unified model for spatial and temporal information. *Comput. J.* 37, 1, 25–34.

Received: September 1998; revised: January 2000; accepted: January 2000