

| Age (month) | n | Open field | | Entries in open sector (%) | Y maze | |
|------------------------------|-------|---|--|-------------------------------|--------------------|--------------------------------|
| | | Locomotor activity (distance moved, m) | Exploratory activity (% time in explor. zone) | | Arm entries (n) | Spontaneous alternation (%) |
| Longitudinal study | | | | | | |
| 4 | Wt | 15 | 1.84 ± 0.16 | 47.7 ± 4.1 | 25.3 ± 6.1 | 31.1 ± 1.4 |
| | Tg | 16 | 1.51 ± 0.14 | 40.4 ± 5.5 | 14.6 ± 4.0 | 24.4 ± 1.7 * |
| | Tg/tg | 13 | 1.66 ± 0.17 | 25.8 ± 4.1 *# | 8.1 ± 2.3 * | 22.8 ± 1.8 * |
| 8 | Wt | 15 | 1.77 ± 0.19 | 25.1 ± 4.4 | 6.1 ± 2.8 | 29.7 ± 2.4 |
| | Tg | 16 | 1.51 ± 0.16 | 18.3 ± 3.4 | 5.6 ± 1.6 | 24.6 ± 1.5 |
| | Tg/tg | 13 | 1.40 ± 0.16 | 18.0 ± 5.8 | 5.9 ± 1.7 | 20.3 ± 1.5 * |
| 12 | Wt | 15 | 1.37 ± 0.15 | 14.7 ± 3.6 | 2.1 ± 0.8 | 22.5 ± 1.9 |
| | Tg | 16 | 1.25 ± 0.12 | 11.6 ± 3.0 | 0.8 ± 0.5 | 22.1 ± 1.4 |
| | Tg/tg | 11 | 1.32 ± 0.12 | 12.8 ± 2.9 | 0.9 ± 0.6 | 18.0 ± 1.2 |
| Cross-sectional study | | | | | | |
| 8 | Wt | 14 | 2.19 ± 0.19 | 38.3 ± 4.4 | 10.2 ± 2.6 | 26.2 ± 3.1 |
| | Tg | 15 | 2.33 ± 0.13 | 39.7 ± 3.6 | 10.2 ± 1.9 | 18.5 ± 1.7 * |
| | Tg/tg | 12 | 1.75 ± 0.18 # | 34.3 ± 5.1 | 9.0 ± 2.8 | 16.8 ± 2.0 * |
| 12 | Wt | 14 | 2.57 ± 0.30 | 45.0 ± 3.9 | 7.4 ± 3.4 | 29.6 ± 2.2 |
| | Tg | 14 | 1.92 ± 0.14 | 53.5 ± 5.9 | 4.7 ± 1.9 | 19.9 ± 1.6 * |
| | Tg/tg | 14 | 2.05 ± 0.12 | 52.8 ± 5.1 | 15.3 ± 6.0 | 19.1 ± 1.5 * |

* p<0.05 versus wt

p<0.05 versus tg

