

Contents

| | |
|---|-----|
| Preface | vii |
| Acknowledgements | ix |
| 1 Introduction | 1 |
| 1.1 What Is R? | 1 |
| 1.2 Downloading and Installing R | 2 |
| 1.3 An Initial Impression | 4 |
| 1.4 Script Code | 7 |
| 1.4.1 The Art of Programming | 7 |
| 1.4.2 Documenting Script Code | 8 |
| 1.5 Graphing Facilities in R | 10 |
| 1.6 Editors | 12 |
| 1.7 Help Files and Newsgroups | 13 |
| 1.8 Packages | 16 |
| 1.8.1 Packages Included with the Base Installation | 16 |
| 1.8.2 Packages Not Included with the Base Installation | 17 |
| 1.9 General Issues in R | 19 |
| 1.9.1 Quitting R and Setting the Working Directory | 21 |
| 1.10 A History and a Literature Overview | 22 |
| 1.10.1 A Short Historical Overview of R | 22 |
| 1.10.2 Books on R and Books Using R | 22 |
| 1.11 Using This Book | 24 |
| 1.11.1 If You Are an Instructor | 25 |
| 1.11.2 If You Are an Interested Reader with Limited R Experience | 25 |
| 1.11.3 If You Are an R Expert | 25 |
| 1.11.4 If You Are Afraid of R | 25 |
| 1.12 Citing R and Citing Packages | 26 |
| 1.13 Which R Functions Did We Learn? | 27 |

| | | |
|----------|---|----|
| 2 | Getting Data into R | 29 |
| 2.1 | First Steps in R | 29 |
| 2.1.1 | Typing in Small Datasets | 29 |
| 2.1.2 | Concatenating Data with the <code>c</code> Function | 31 |
| 2.1.3 | Combining Variables with the <code>c</code> , <code>cbind</code> , and <code>rbind</code> Functions | 34 |
| 2.1.4 | Combining Data with the <code>vector</code> Function* | 39 |
| 2.1.5 | Combining Data Using a Matrix* | 39 |
| 2.1.6 | Combining Data with the <code>data.frame</code> Function | 42 |
| 2.1.7 | Combining Data Using the <code>list</code> Function* | 43 |
| 2.2 | Importing Data | 46 |
| 2.2.1 | Importing Excel Data | 47 |
| 2.2.2 | Accessing Data from Other Statistical Packages** | 51 |
| 2.2.3 | Accessing a Database*** | 52 |
| 2.3 | Which R Functions Did We Learn? | 54 |
| 2.4 | Exercises | 54 |
| 3 | Accessing Variables and Managing Subsets of Data | 57 |
| 3.1 | Accessing Variables from a Data Frame | 57 |
| 3.1.1 | The <code>str</code> Function | 59 |
| 3.1.2 | The Data Argument in a Function | 60 |
| 3.1.3 | The <code>\$</code> Sign | 61 |
| 3.1.4 | The <code>attach</code> Function | 62 |
| 3.2 | Accessing Subsets of Data | 63 |
| 3.2.1 | Sorting the Data | 66 |
| 3.3 | Combining Two Datasets with a Common Identifier | 67 |
| 3.4 | Exporting Data | 69 |
| 3.5 | Recoding Categorical Variables | 71 |
| 3.6 | Which R Functions Did We Learn? | 74 |
| 3.7 | Exercises | 74 |
| 4 | Simple Functions | 77 |
| 4.1 | The <code>tapply</code> Function | 77 |
| 4.1.1 | Calculating the Mean Per Transect | 78 |
| 4.1.2 | Calculating the Mean Per Transect More Efficiently | 79 |
| 4.2 | The <code>sapply</code> and <code>lapply</code> Functions | 80 |
| 4.3 | The <code>summary</code> Function | 81 |
| 4.4 | The <code>table</code> Function | 82 |
| 4.5 | Which R Functions Did We Learn? | 84 |
| 4.6 | Exercises | 84 |
| 5 | An Introduction to Basic Plotting Tools | 85 |
| 5.1 | The <code>plot</code> Function | 85 |
| 5.2 | Symbols, Colours, and Sizes | 88 |
| 5.2.1 | Changing Plotting Characters | 88 |

| | | |
|----------|---|------------|
| 5.2.2 | Changing the Colour of Plotting Symbols | 92 |
| 5.2.3 | Altering the Size of Plotting Symbols | 93 |
| 5.3 | Adding a Smoothing Line | 95 |
| 5.4 | Which R Functions Did We Learn? | 97 |
| 5.5 | Exercises | 97 |
| 6 | Loops and Functions | 99 |
| 6.1 | Introduction to Loops | 99 |
| 6.2 | Loops | 101 |
| 6.2.1 | Be the Architect of Your Code | 102 |
| 6.2.2 | Step 1: Importing the Data | 102 |
| 6.2.3 | Steps 2 and 3: Making the Scatterplot and Adding Labels | 103 |
| 6.2.4 | Step 4: Designing General Code | 104 |
| 6.2.5 | Step 5: Saving the Graph. | 105 |
| 6.2.6 | Step 6: Constructing the Loop | 107 |
| 6.3 | Functions | 108 |
| 6.3.1 | Zeros and NAs | 108 |
| 6.3.2 | Technical Information. | 110 |
| 6.3.3 | A Second Example: Zeros and NAs | 111 |
| 6.3.4 | A Function with Multiple Arguments. | 113 |
| 6.3.5 | Foolproof Functions | 115 |
| 6.4 | More on Functions and the <code>if</code> Statement | 117 |
| 6.4.1 | Playing the Architect Again | 118 |
| 6.4.2 | Step 1: Importing and Assessing the Data | 118 |
| 6.4.3 | Step 2: Total Abundance per Site | 119 |
| 6.4.4 | Step 3: Richness per Site | 120 |
| 6.4.5 | Step 4: Shannon Index per Site | 121 |
| 6.4.6 | Step 5: Combining Code | 122 |
| 6.4.7 | Step 6: Putting the Code into a Function | 122 |
| 6.5 | Which R Functions Did We Learn? | 125 |
| 6.6 | Exercises | 125 |
| 7 | Graphing Tools | 127 |
| 7.1 | The Pie Chart | 127 |
| 7.1.1 | Pie Chart Showing Avian Influenza Data | 127 |
| 7.1.2 | The <code>par</code> Function | 130 |
| 7.2 | The Bar Chart and Strip Chart | 131 |
| 7.2.1 | The Bar Chart Using the Avian Influenza Data | 131 |
| 7.2.2 | A Bar Chart Showing Mean Values with Standard Deviations | 133 |
| 7.2.3 | The Strip Chart for the Benthic Data | 135 |
| 7.3 | Boxplot | 137 |
| 7.3.1 | Boxplots Showing the Owl Data | 137 |
| 7.3.2 | Boxplots Showing the Benthic Data | 140 |

| | | |
|----------|---|------------|
| 7.4 | Cleveland Dotplots | 141 |
| 7.4.1 | Adding the Mean to a Cleveland Dotplot | 143 |
| 7.5 | Revisiting the <code>plot</code> Function | 145 |
| 7.5.1 | The Generic <code>plot</code> Function | 145 |
| 7.5.2 | More Options for the <code>plot</code> Function | 146 |
| 7.5.3 | Adding Extra Points, Text, and Lines | 148 |
| 7.5.4 | Using <code>type = "n"</code> | 149 |
| 7.5.5 | Legends | 150 |
| 7.5.6 | Identifying Points | 152 |
| 7.5.7 | Changing Fonts and Font Size* | 153 |
| 7.5.8 | Adding Special Characters | 153 |
| 7.5.9 | Other Useful Functions | 154 |
| 7.6 | The Pairplot | 155 |
| 7.6.1 | Panel Functions | 156 |
| 7.7 | The Coplot | 157 |
| 7.7.1 | A Coplot with a Single Conditioning Variable | 157 |
| 7.7.2 | The Coplot with Two Conditioning Variables | 161 |
| 7.7.3 | Jazzing Up the Coplot* | 162 |
| 7.8 | Combining Types of Plots* | 164 |
| 7.9 | Which R Functions Did We Learn? | 166 |
| 7.10 | Exercises | 167 |
| 8 | An Introduction to the Lattice Package | 169 |
| 8.1 | High-Level Lattice Functions | 169 |
| 8.2 | Multipanel Scatterplots: <code>xyplot</code> | 170 |
| 8.3 | Multipanel Boxplots: <code>bwplot</code> | 173 |
| 8.4 | Multipanel Cleveland Dotplots: <code>dotplot</code> | 174 |
| 8.5 | Multipanel Histograms: <code>histogram</code> | 176 |
| 8.6 | Panel Functions | 177 |
| 8.6.1 | First Panel Function Example | 177 |
| 8.6.2 | Second Panel Function Example | 179 |
| 8.6.3 | Third Panel Function Example* | 181 |
| 8.7 | 3-D Scatterplots and Surface and Contour Plots | 184 |
| 8.8 | Frequently Asked Questions | 185 |
| 8.8.1 | How to Change the Panel Order? | 186 |
| 8.8.2 | How to Change Axes Limits and Tick Marks? | 188 |
| 8.8.3 | Multiple Graph Lines in a Single Panel | 189 |
| 8.8.4 | Plotting from Within a Loop* | 190 |
| 8.8.5 | Updating a Plot | 191 |
| 8.9 | Where to Go from Here? | 191 |
| 8.10 | Which R Functions Did We Learn? | 192 |
| 8.11 | Exercises | 192 |

| | |
|--|-----|
| 9 Common R Mistakes | 195 |
| 9.1 Problems Importing Data | 195 |
| 9.1.1 Errors in the Source File | 195 |
| 9.1.2 Decimal Point or Comma Separation | 195 |
| 9.1.3 Directory Names | 197 |
| 9.2 Attach Misery | 197 |
| 9.2.1 Entering the Same attach Command Twice. | 197 |
| 9.2.2 Attaching Two Data Frames Containing the Same Variable Names | 198 |
| 9.2.3 Attaching a Data Frame and Demo Data. | 199 |
| 9.2.4 Making Changes to a Data Frame After Applying the attach Function | 200 |
| 9.3 Non-attach Misery | 201 |
| 9.4 The Log of Zero | 202 |
| 9.5 Miscellaneous Errors | 203 |
| 9.5.1 The Difference Between 1 and l. | 203 |
| 9.5.2 The Colour of 0 | 203 |
| 9.6 Mistakenly Saved the R Workspace. | 204 |
| References | 207 |
| Index | 211 |