

Arctic Geology and Petroleum Potential

**Proceedings of the Norwegian Petroleum Society
Conference, 15–17 August 1990, Tromsø, Norway**

Edited by

T.O. Vorren

*Department of Geology, Institute of Biology and Geology, University of Tromsø,
9037 Tromsø, Norway*

E. Bergsager

Rogaland Research Institute, P.O. Box 2503, Ullandhaug, 4004 Stavanger, Norway

Ø.A. Dahl-Stamnes

Exxon Co. U.S.A., Offshore Alaska Division, P.O. Box 4279, Houston, TX 77210, U.S.A.

E. Holter

Norsk Petroleums-forening/NPF, P.O. Box 1897, Vika, 0124 Oslo, Norway

B. Johansen

Statoil, P.O.Box 300, 4001 Stavanger, Norway

E. Lie

Statoil, P.O.Box 300, 4001 Stavanger, Norway

and

T.B. Lund

Norsk Hydro a.s., P.O. Box 200, 1324 Stabekk, Norway



ELSEVIER

Amsterdam – London – New York – Tokyo 1993

Contents

Foreword	V
List of Contributors	VII

Part I. General

Mesozoic hydrocarbon source-rocks of the Arctic region	1
T.L. Leith, H.M. Weiss, A. Mørk, N. Århus, G. Elvebakk, A.F. Embry, P.W. Brooks, K.R. Stewart, T.M. Pchelina, E.G. Bro, M.L. Verba, A. Danyushevskaya and A.V. Borisov	
Natural gas hydrates: Arctic and Nordic Sea potential	27
M.D. Max and A. Lowrie	

Part II. Greenland

The southern West Greenland continental shelf — was petroleum exploration abandoned prematurely?	55
J.A. Chalmers and T.C.R. Pulvertaft	
Depositional history and petroleum geology of the Carboniferous to Cretaceous sediments in the northern part of East Greenland	67
L. Stemmerik, F.G. Christiansen, S. Piasecki, B. Jordt, C. Marcussen and H. Nøhr-Hansen	
Evidence for wrenching during Mid-Permian extension in central East Greenland	89
D.Q. Coffield	
Moscovian bryozoan-dominated build-ups, northern Amdrup Land, eastern North Greenland	99
L. Stemmerik	
Sedimentology and diagenesis of the Upper Permian Wegener Halyø Formation carbonates along the margins of the Jameson Land Basin, East Greenland	107
L. Stemmerik, P.A. Scholle, F.H. Henk, G. Di Liegro and D.S. Ulmer	

Part III. North American Arctic

T-R sequence stratigraphy, facies analysis and reservoir distribution in the uppermost Triassic-Lower Jurassic succession, western Sverdrup Basin, Arctic Canada	121
A.F. Embry and E.P. Johannessen	
Evaluation of maturity and source-rock potential in the Lougheed Island area of the central Sverdrup Basin, Arctic Canada	147
F. Goodarzi, T. Gentzis, A.F. Embry, K.G. Osadetz, D.N. Skibo and K.R. Stewart	
The source-rock potential and thermal maturity of the sedimentary succession in the Drake and Hecla hydrocarbon fields, Melville Island, Canadian Arctic Archipelago	159
T. Gentzis and F. Goodarzi	
Hydrocarbon potential of the St. George Basin, Bering Sea, Alaska	173
K. Carter and I. Lerche	

Hydrocarbon loss from oil and gas fields of the Sverdrup Basin Canadian Arctic islands	195
D.C. Waylett and A.F. Embry	

Crockerland — the northwest source area for the Sverdrup Basin, Canadian Arctic islands	205
A.E Embry	

Carboniferous and Permian reefs of Sverdrup Basin, Canadian Arctic: an aid to Barents Sea exploration	217
B. Beauchamp	

Part IV. Soviet Arctic

Main results of oil and gas prospecting in the Barents and Kara Sea inspire optimism	243
B.K. Ostisty and Y.F. Fedorovsky	

Main petroliferous Mesozoic complexes of the Arctic regions of western Siberia	253
I.I. Nesterov, A.M. Brekhuntsov, N.Kh. Kulakhmetov, V.D. Kopeyev and A.V. Rylkov	

The Jurassic complex is an object of oil and gas prospecting in the Barents Sea	257
E.V. Zakcharov, I.B. Kulibakina and G.N. Bogoslovskaya	

The geology of Palaeozoic hydrocarbons in the eastern European U.S.S.R. and their relevance to the Barents Shelf	261
A. Heafford	

Part V. Barents Sea: Overview

Hydrocarbon potential in the Barents Sea region: play distribution and potential	273
S.E. Johansen, B.K. Ostisty, Ø. Birkeland, Y.F. Federovsky, V.N. Martirosjan, O.B. Christensen, S.I. Cheredeev, E.A. Ignatenko and L.S. Margulis	

Hydrocarbon potential of the Norwegian Barents Sea based on recent well results	321
R.M. Larsen, T. Fjærås and O. Skarpnes	

Hydrocarbon potential of the Central Spitsbergen Basin	333
A. Nøttvedt, F. Livbjerg, P.S. Midbøe and E. Rasmussen	

Svalbard–Barents Sea correlation: a short review	363
A. Nøttvedt, M. Cecchi, J.G. Gjelberg, S.E. Kristensen, A. Lønøy, A. Rasmussen, E. Rasmussen, P. Skott and P.M. van Veen	

Part VI. Barents Sea: Palaeozoic

Late Palaeozoic bioherm occurrences of the Finnmark Shelf, Norwegian Barents Sea: analogues and regional significance	377
J.R. Bruce and D.F. Toomey	

Exploration of the Late Palaeozoic Carbonates in the southern Barents Sea — a seismic stratigraphic study	393
K.T. Nilsen, E. Henriksen and G.B. Larsen	

Eastern Barents Sea Late Palaeozoic setting and potential source rocks	405
C. Alsgaard	

Carbonate sequence stratigraphy: application to the determination of play-models in the Upper Paleozoic succession of the Barents Sea, offshore northern Norway	419
M. Cecchi	

Part VII. Barents Sea: Mesozoic

Use of sequence stratigraphy to define a semi-stratigraphic play in Anisian sequences, south-western Barents Sea	439
A. Rasmussen, S.E. Kristensen, P. van Veen, T. Stølan and P.R. Vail	

Triassic rocks in Svalbard, the Arctic Soviet islands and the Barents Shelf: bearing on their correlations	457
A. Mørk, J.O. Vigran, M.V. Korchinskaya, T.M. Pchelina, L.A. Fefilova, M.N. Vavilov and W. Weitschat	
Apparent changes in clastic mineralogy of the Triassic–Jurassic succession, Norwegian Barents Sea: possible implications for palaeodrainage and subsidence	481
M. Bergan and R. Knarud	
Dinoflagellate biostratigraphy of the Toarcian to Lower Ofordian (Jurassic) of the Barents Sea region	495
M. Smelror and R. Below	
Triassic sequence stratigraphy in the Barents Sea	515
P. van Veen, L.J. Skjold, S.E. Kristensen, A. Rasmussen, J. Gjelberg and T. Stølan	
Part VIII. Barents Sea: Cenozoic	
Mid–Late Miocene sedimentation on the southwestern Barents Shelf margin	539
G. Richardsen, S.-M. Knutsen, P.R. Vail and T.O. Vorren	
Late Miocene–Pleistocene sequence stratigraphy and mass-movements on the western Barents Sea margin	573
S.-M. Knutsen, G. Richardsen and T.O. Vorren	
Restoration of the eroded section in the western Barents Sea	607
T.R. Nardin and K.G. Røssland	
An outline of the northwestern Svalbard continental margin	619
O. Eiken	
Reactivation of fault complexes in the Loppa High area, southwestern Barents Sea	631
R.H. Gabrielsen, I. Grunnaleite and S. Ottesen	
Cenozoic uplift and erosion of the Barents Sea — evidence from the Svalis Dome area	643
H. Løseth, S.J. Lippard, J. Sættem, S. Fanavoll, V. Fjerdingstad, T.L. Leith, U. Ritter, M. Smelror and Ø. Sylta	
Part IX. Salt dynamics	
Multiphase halokinesis in the Nordkapp Basin	665
C. Talbot, H. Koyi and J. Clark	
Salt dynamics: simulation of mushroom cap on a salt diapir in the Barents Sea, Norway	669
Z. Yu and I. Lerche	
Part X. Methods	
Application of horizontal stress directions interpreted from borehole breakouts recorded by four-arm dipmeter tools	681
A. Linjordet and O. Skarpnes	
A method on classification of oil traps based on heavy oil content in cores with relevance to filling and drainage of Barents Sea oil-bearing structures	691
J.H. Augustson	
The Snowstreamer — a new device for acquisition of seismic data on land	703
E. Rygg, P. Riste, A. Nøttvedt, K. Rød and Y. Kristoffersen	
Effects on hydrocarbon potential caused by Tertiary uplift and erosion in the Barents Sea	711
J.I. Skagen	

International law and its application in the Arctic	721
C.A. Fleischer	
References index	733
Subject index	743